


## Accepted Manuscript

Monitoring microvascular perfusion variations with laser speckle contrast imaging using a view-based temporal template method

Mohammad Zaheer Ansari, Eun-Jeung Kang, Mioara D. Manole, Jens P. Dreier, Anne Humeau-Heurtier



PII: S0026-2862(16)30176-5  
DOI: doi: [10.1016/j.mvr.2016.12.004](https://doi.org/10.1016/j.mvr.2016.12.004)  
Reference: YMVRE 3670

To appear in: *Microvascular Research*

Received date: 15 October 2016  
Revised date: 6 December 2016  
Accepted date: 9 December 2016

Please cite this article as: Mohammad Zaheer Ansari, Eun-Jeung Kang, Mioara D. Manole, Jens P. Dreier, Anne Humeau-Heurtier , Monitoring microvascular perfusion variations with laser speckle contrast imaging using a view-based temporal template method. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Ymvre(2016), doi: [10.1016/j.mvr.2016.12.004](https://doi.org/10.1016/j.mvr.2016.12.004)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

# Monitoring microvascular perfusion variations with laser speckle contrast imaging using a view-based temporal template method

Mohammad Zaheer Ansari<sup>a\*</sup>, Eun-Jeung Kang<sup>b,c,d</sup>, Mioara D. Manole<sup>e</sup>, Jens P. Dreier<sup>b,c,d</sup>, Anne Humeau-Heurtier<sup>f</sup>

<sup>a</sup>Department of Physics, Cambridge Institute of Polytechnic, Baheya, Angara, Ranchi - 835103, Jharkhand, India

<sup>b</sup>Department of Experimental Neurology, <sup>c</sup>Department of Neurology, <sup>d</sup>Center for Stroke Research, Charité University Medicine Berlin, Charitéplatz 1, 10117 Berlin, Germany

<sup>e</sup>University of Pittsburgh, Safar Center for Resuscitation Research, USA

<sup>f</sup>Univ Angers, LARIS — Laboratoire Angevin de Recherche en Ingénierie des Systèmes, Angers, France

\*Corresponding authors, E-mail: [mohamedzaheer1@gmail.com](mailto:mohamedzaheer1@gmail.com)

This manuscript was supported by the NIH grant R01HD075760 (MDM).

## Abstract

**Purpose:** Laser speckle contrast imaging (LSCI) continues to gain an increased interest in clinical and research studies to monitor microvascular perfusion. Due to its high spatial and temporal resolutions, LSCI may lead to a large amount of data. The analysis of such data, as well as the determination of the regions where the perfusion varies, can become a lengthy and tedious task. We propose here to analyze if a view-based temporal template method, the motion history image (MHI) algorithm, may be of use in detecting the perfusion variations locations. **Methods:** LSCI data recorded during three different kinds of perfusion variations are considered: (i) cerebral blood flow during spreading depolarization (SD) in a mouse; (ii) cerebral blood flow during SD in a rat; (iii) cerebral blood flow during cardiac arrest in a rat. Each of these recordings was processed with MHI. **Results:** We show that, for the three pathophysiological situations, MHI identifies the area in which perfusion evolves with time.

Download English Version:

<https://daneshyari.com/en/article/5513724>

Download Persian Version:

<https://daneshyari.com/article/5513724>

[Daneshyari.com](https://daneshyari.com)