

Accepted Manuscript

Title: Prophylactic Donor Lymphocyte Infusion (DLI) Followed by Minimal Residual Disease and Graft-Versus Host Disease Guided Multiple DLIs Could Improve Outcomes after Allogeneic Hematopoietic Stem Cell Transplantation in Patients with Refractory/Relapsed Acute Leukemia

Author: Chen-Hua Yan, Qi-fa Liu, De-pei Wu, Xi Zhang, Lan-Ping Xu, Xiao-hui Zhang, Yu Wang, He Huang, Hai Bai, Fen Huang, Xiao Ma, Xiao-Jun Huang

PII: S1083-8791(17)30446-9
DOI: <http://dx.doi.org/doi: 10.1016/j.bbmt.2017.04.028>
Reference: YBBMT 54660


To appear in: *Biology of Blood and Marrow Transplantation*

Received date: 15-2-2017

Accepted date: 28-4-2017

Please cite this article as: Chen-Hua Yan, Qi-fa Liu, De-pei Wu, Xi Zhang, Lan-Ping Xu, Xiao-hui Zhang, Yu Wang, He Huang, Hai Bai, Fen Huang, Xiao Ma, Xiao-Jun Huang, Prophylactic Donor Lymphocyte Infusion (DLI) Followed by Minimal Residual Disease and Graft-Versus Host Disease Guided Multiple DLIs Could Improve Outcomes after Allogeneic Hematopoietic Stem Cell Transplantation in Patients with Refractory/Relapsed Acute Leukemia, *Biology of Blood and Marrow Transplantation* (2017), <http://dx.doi.org/doi: 10.1016/j.bbmt.2017.04.028>.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Prophylactic donor lymphocyte infusion (DLI) followed by minimal residual disease and graft-versus host disease guided multiple DLIs could improve outcomes after allogeneic hematopoietic stem cell transplantation in patients with refractory/relapsed acute leukemia

Chen-Hua Yan ^{1,2}, Qi-fa Liu ³, De-pei Wu ^{4,2}, Xi Zhang ⁵, Lan-Ping Xu ¹, Xiao-hui Zhang ^{1,2}, Yu Wang ^{1,2}, He Huang ⁶, Hai Bai ⁷, Fen Huang ³, Xiao Ma ⁴, Xiao-Jun Huang ^{1,2,3,8}

Authors' affiliations: 1. Peking University Peoples Hospital, Peking University Institute of Hematology, Beijing Key Laboratory of Hematopoietic Stem Cell Transplantation; 2. Collaborative Innovation Center of Hematology. 3. Nanfang Hospital, Southern Medical University; 4. the First Affiliated Hospital of Soochow University; 5. Xinqiao Hospital, Third Military Medical University; 6. the First Affiliated Hospital of Medical School of Zhejiang University; 7. Lanzhou General Hospital of Lanzhou Command Aero Center Space Hospital; 8. Peking-Tsinghua Center for Life Sciences, Academy for Advanced Interdisciplinary Studies.

Correspondence: Xiao-jun Huang

Affiliation: 1. Peking University Peoples Hospital, Peking University Institute of Hematology, Beijing Key Laboratory of Hematopoietic Stem Cell Transplantation; 2. Collaborative Innovation Center of Hematology; 3. Nanfang Hospital, Southern Medical University. 4. Peking-Tsinghua Center for Life Sciences, Academy for Advanced Interdisciplinary Studies.

Address: Xi Zhimen South Street No. 11, Beijing 100044, China.

Tel: 8610-8326007

Fax: 8610-88324744

E-mail: xjhrm@medmail.com.cn

Download English Version:

<https://daneshyari.com/en/article/5524116>

Download Persian Version:

<https://daneshyari.com/article/5524116>

[Daneshyari.com](https://daneshyari.com)