Accepted Manuscript

Title: *In vitro* fermentation of browse species using goat rumen fluid in relation to browse polyphenol content and composition

Authors: G. Mengistu, M. Karonen, J.-P. Salminen, W.H. Hendriks, W.F. Pellikaan

PII: S0377-8401(16)31073-2

DOI: http://dx.doi.org/doi:10.1016/j.anifeedsci.2017.05.021


Reference: ANIFEE 13799

To appear in: Animal Feed Science and Technology

Received date: 2-12-2016 Revised date: 13-4-2017 Accepted date: 28-5-2017

Please cite this article as: Mengistu, G., Karonen, M., Salminen, J.-P., Hendriks, W.H., Pellikaan, W.F., In vitro fermentation of browse species using goat rumen fluid in relation to browse polyphenol content and composition. Animal Feed Science and Technology http://dx.doi.org/10.1016/j.anifeedsci.2017.05.021

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

In vitro fermentation of browse species using goat rumen fluid in relation to browse polyphenol content and composition

G. Mengistu^{a,b,1}, M. Karonen^c, J.-P. Salminen^c, W.H. Hendriks^{a,d}, W.F. Pellikaan^a

^aWageningen University & Research, Department of Animal Sciences, Animal Nutrition Group,

PO Box 338, 6700 AH, Wageningen, the Netherlands

^bDepartment of Animal, Rangeland and Wildlife Sciences, Mekelle University, PO Box 231,

Mekelle, Ethiopia

^cNatural Chemistry Research Group, Department of Chemistry, University of Turku, FI-20014

Turku, Finland

^dAnimal Nutrition Division, Faculty of Veterinary Medicine, Utrecht University, PO Box 80163,

3508 TD, Utrecht, the Netherlands

ADF, acid detergent fibre; ADL, acid detergent lignin; BCVFA, branched chain volatile fatty acids; CH₄, methane; CO₂, carbondioxide; CP, crude protein; DM, dry matter; GP, gas production; HAc, molar percent acetic acid; HB, molar percent butyric acid; HP, molar percent propionic acid; HV, molar percent valeric acid; IVOMD, *in vitro* organic matter digestibility; NDF, neutral detergent fibre; NGR, non-glucogenic ratio; NH₃, ammonia; OM, organic matter; PA, proanthocyanidin; PC, procyanidins; PD, prodelphinidins; PEG, polyethylene glycol; UPLC-DAD-ESI-MS/MS, ultra performance liquid chromatography with diode array detector coupled with electrospray ionization mass spectrometry; VFA, volatile fatty acids.

¹Corresponding author present address: Wageningen University & Research, Department of Animal Sciences, Animal Nutrition Group, 6708 WD, Wageningen, the Netherlands E-mail: genet.feseha@mu.edu.et and genet_04@yahoo.com

Download English Version:

https://daneshyari.com/en/article/5538795

Download Persian Version:

https://daneshyari.com/article/5538795

<u>Daneshyari.com</u>