Title: Programming effect of dietary fatty acids on performance of Holstein heifers from birth through first lactation

Author: M. Garcia L.F. Greco E. Block J.E.P. Santos W.W. Thatcher C.R. Staples

PII: S0377-8401(16)30751-9
DOI: http://dx.doi.org/doi:10.1016/j.anifeedsci.2016.10.003
Reference: ANIFEE 13641

To appear in: *Animal Feed Science and Technology*

Received date: 13-5-2016
Revised date: 28-9-2016
Accepted date: 3-10-2016

Please cite this article as: Garcia, M., Greco, L.F., Block, E., Santos, J.E.P., Thatcher, W.W., Staples, C.R., Programming effect of dietary fatty acids on performance of Holstein heifers from birth through first lactation.Animal Feed Science and Technology http://dx.doi.org/10.1016/j.anifeedsci.2016.10.003

Programming effect of dietary fatty acids on performance of Holstein heifers from birth through first lactation

M. Garcia[a1], L.F. Greco[a], E. Block[b], J.E.P. Santos[a], W.W. Thatcher[a], C.R. Staples[a*]

[a]*Department of Animal Sciences, 2250 Shealy Drive, University of Florida, Gainesville, FL, 32608, USA*
[b]*Arm and Hammer Animal Nutrition, Princeton, NJ 08543, USA*
[1]Present address: *Department of Animal Sciences and Industry, Kansas State University, Manhattan, KS, 66506, USA*

[*] **Corresponding author**. Tel: 352-392-1958; Fax: 352-294-2036; EM: chasstap@ufl.edu

Submitted to Animal Feed Science and Technology in May 2016.

Revised and re-submitted in August 2016.

Highlights

- An epigenetic impact of dietary fat supplementation on milk yield is proposed.
- Fat supplementation in late uterine life improved milk yield but not reproduction.
- Preweaning supplementation of essential fatty acids improved future productivity.