

Accepted Manuscript

Influence of carbon/nitrogen ratios on biofloc production and biochemical composition and subsequent effects on the growth, physiological status and disease resistance of African catfish (*Clarias gariepinus*) cultured in glycerol-based biofloc systems

Akeem Babatunde Dauda, Nicholas Romano, Mahdi Ebrahimi, Jun Chin Teh, Abdullateef Ajadi, Chou Min Chong, Murni Karim, Ikhsan Natrah, Mohd Salleh Kamarudin



PII: S0044-8486(17)31713-1
DOI: doi:[10.1016/j.aquaculture.2017.10.016](https://doi.org/10.1016/j.aquaculture.2017.10.016)
Reference: AQUA 632870
To appear in: *aquaculture*
Received date: 24 August 2017
Revised date: 11 October 2017
Accepted date: 13 October 2017

Please cite this article as: Akeem Babatunde Dauda, Nicholas Romano, Mahdi Ebrahimi, Jun Chin Teh, Abdullateef Ajadi, Chou Min Chong, Murni Karim, Ikhsan Natrah, Mohd Salleh Kamarudin , Influence of carbon/nitrogen ratios on biofloc production and biochemical composition and subsequent effects on the growth, physiological status and disease resistance of African catfish (*Clarias gariepinus*) cultured in glycerol-based biofloc systems. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Aqua(2017), doi:[10.1016/j.aquaculture.2017.10.016](https://doi.org/10.1016/j.aquaculture.2017.10.016)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Influence of carbon/nitrogen ratios on biofloc production and biochemical composition and subsequent effects on the growth, physiological status and disease resistance of African catfish (*Clarias gariepinus*) cultured in glycerol-based biofloc systems

Akeem Babatunde Dauda ^{1,2}, Nicholas Romano ^{1*}, Mahdi Ebrahimi ³, Jun Chin Teh ¹, Abdullateef Ajadi ⁴, Chou Min Chong ^{1,5}, Murni Karim ^{1,5}, Ikhsan Natrah ^{1,5}, Mohd Salleh Kamarudin ¹

¹ Department of Aquaculture, Faculty of Agriculture, Universiti Putra Malaysia, 43400 Serdang, Selangor, Malaysia

² Department of Fisheries and Aquaculture, Federal University, Dutsin-ma PMB 5001, Dutsin-ma Katsina State, Nigeria

³ Department of Veterinary Preclinical Sciences, Faculty of Veterinary Medicine, Universiti Putra Malaysia, 43400 Serdang, Selangor, Malaysia

⁴ Department of Pathology and Microbiology, Faculty of Veterinary Medicine, Universiti Putra Malaysia, 43400 Serdang, Selangor Malaysia

⁵ Laboratory of Marine Biotechnology, Institute of Bioscience, Universiti Putra Malaysia, 43400 Serdang, Selangor, Malaysia.

*** Corresponding author:**

Nicholas Romano

Department of Aquaculture, Faculty of Agriculture, Universiti Putra Malaysia, 43400 Serdang, Selangor, Malaysia

Email address: romano.nicholas5@gmail.com

Download English Version:

<https://daneshyari.com/en/article/5538995>

Download Persian Version:

<https://daneshyari.com/article/5538995>

[Daneshyari.com](https://daneshyari.com)