

Accepted Manuscript

Venestatin, a Ca^{++} -binding protein from the parasitic nematode *Strongyloides venezuelensis*, is involved in the larval migration process

Daigo Tsubokawa, Takeshi Hatta, Taisei Kikuchi, Hiroki Maeda, Fusako Mikami, M. Abdul Alim, Haruhiko Maruyama, Naotoshi Tsuji

PII: S0020-7519(17)30084-X
DOI: <http://dx.doi.org/10.1016/j.ijpara.2017.01.008>
Reference: PARA 3947

To appear in: *International Journal for Parasitology*

Received Date: 8 November 2016
Revised Date: 17 January 2017
Accepted Date: 18 January 2017

Please cite this article as: Tsubokawa, D., Hatta, T., Kikuchi, T., Maeda, H., Mikami, F., Alim, M.A., Maruyama, H., Tsuji, N., Venestatin, a Ca^{++} -binding protein from the parasitic nematode *Strongyloides venezuelensis*, is involved in the larval migration process, *International Journal for Parasitology* (2017), doi: <http://dx.doi.org/10.1016/j.ijpara.2017.01.008>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Venestatin, a Ca^{++} -binding protein from the parasitic nematode

Strongyloides venezuelensis, is involved in the larval migration process★

Daigo Tsubokawa ^{a,b}, Takeshi Hatta ^{a,b}, Taisei Kikuchi ^c, Hiroki Maeda ^{b,d}, Fusako Mikami ^b,
M. Abdul Alim ^e, Haruhiko Maruyama ^c, Naotoshi Tsuji ^{a,b,*}

^a*Department of Molecular and Cellular Parasitology, Kitasato University Graduate School of Medical Sciences, 1-15-1 Kitasato, Minami, Sagamihara, Kanagawa 252-0373, Japan*

^b*Department of Parasitology, Kitasato University School of Medicine, 1-15-1 Kitasato, Minami, Sagamihara, Kanagawa 252-0374, Japan*

^c*Division of Parasitology, Department of Infectious Diseases, Faculty of Medicine, University of Miyazaki, 5200 Kihara Kiyotake, Miyazaki, 899-1692, Japan*

^d*Department of Pathological and Preventive Veterinary Science, The United Graduate School of Veterinary Science, Yamaguchi University, Yoshida, Yamaguchi, 753-8515, Japan*

^e*Department of Parasitology, Faculty of Veterinary Science, Bangladesh Agricultural University, Mymensingh-2202, Bangladesh*

*Corresponding author. Naotoshi Tsuji, Department of Parasitology, Kitasato University School of Medicine, 1-15-1 Kitasato, Minami, Sagamihara, Kanagawa 252-0374, Japan.
Tel./fax: +81-42-778-9312.
E-mail address: tsujin@med.kitasato-u.ac.jp

Note: Supplementary data associated with this article.

★Nucleotide sequence data reported in this paper are available in the GenBank™, EMBL, and DDBJ databases under the accession number **LC189319**.

Download English Version:

<https://daneshyari.com/en/article/5541250>

Download Persian Version:

<https://daneshyari.com/article/5541250>

[Daneshyari.com](https://daneshyari.com)