


Effect of dietary wheat bran inclusion on nutrient and energy digestibility and microbial metabolites in weaned pigs

B. Koo, M.M. Hossain, C.M. Nyachoti



PII: S1871-1413(17)30219-6
DOI: <http://dx.doi.org/10.1016/j.livsci.2017.07.011>
Reference: LIVSCI3262

To appear in: *Livestock Science*

Received date: 1 March 2017
Revised date: 11 July 2017
Accepted date: 25 July 2017

Cite this article as: B. Koo, M.M. Hossain and C.M. Nyachoti, Effect of dietary wheat bran inclusion on nutrient and energy digestibility and microbial metabolites in weaned pigs, *Livestock Science* <http://dx.doi.org/10.1016/j.livsci.2017.07.011>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Effect of dietary wheat bran inclusion on nutrient and energy digestibility and microbial metabolites in weaned pigs

B. Koo, M.M. Hossain, C.M. Nyachoti*

Department of Animal Science, University of Manitoba, Winnipeg, MB, R3T 2N2, Canada

*Corresponding author. Tel.: +1 204 474 7323; fax: +1 204 474 7628.
martin_nyachoti@umanitoba.ca (C.M. Nyachoti).

ABSTRACT

This study was conducted to assess effect of including 40 g/kg of wheat bran (WB) in weaner diet on nutrient and energy digestibility and on microbial metabolites. Six weaned piglets ($7.3 \pm$

Download English Version:

<https://daneshyari.com/en/article/5542999>

Download Persian Version:

<https://daneshyari.com/article/5542999>

[Daneshyari.com](https://daneshyari.com)