

## Accepted Manuscript

Effect of nitrate on residual nitrite decomposition rate in cooked cured pork

Masahiro Waga, Shiro Takeda, Ryoichi Sakata

PII: S0309-1740(17)30283-8  
DOI: doi: [10.1016/j.meatsci.2017.03.002](https://doi.org/10.1016/j.meatsci.2017.03.002)  
Reference: MESC 7200  
To appear in: *Meat Science*  
Received date: 21 September 2015  
Revised date: 28 February 2017  
Accepted date: 3 March 2017



Please cite this article as: Masahiro Waga, Shiro Takeda, Ryoichi Sakata , Effect of nitrate on residual nitrite decomposition rate in cooked cured pork. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Mesc(2017), doi: [10.1016/j.meatsci.2017.03.002](https://doi.org/10.1016/j.meatsci.2017.03.002)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Effect of nitrate on residual nitrite decomposition rate in cooked cured pork**

Masahiro Waga, Shiro Takeda and Ryoichi Sakata

Department of Animal Science and Biotechnology, Azabu University, Sagamihara

252-5201, Japan.

Corresponding author: Masahiro Waga

Tel: +81-42-754-7111 / Fax: +81-42-754-7661

Email: da1401@azabu-u.ac.jp

Download English Version:

<https://daneshyari.com/en/article/5543276>

Download Persian Version:

<https://daneshyari.com/article/5543276>

[Daneshyari.com](https://daneshyari.com)