

Accepted Manuscript

Chicory fructans in pig diet reduce skatole in back fat of entire male pigs

M. Aluwé, E. Heyrman, S. Theis, C. Sieland, K. Thurman, S. Millet



PII: S0034-5288(17)30395-8
DOI: doi: [10.1016/j.rvsc.2017.06.016](https://doi.org/10.1016/j.rvsc.2017.06.016)
Reference: YRVSC 3359

To appear in: *Research in Veterinary Science*

Received date: 5 April 2017
Revised date: 22 June 2017
Accepted date: 23 June 2017

Please cite this article as: M. Aluwé, E. Heyrman, S. Theis, C. Sieland, K. Thurman, S. Millet, Chicory fructans in pig diet reduce skatole in back fat of entire male pigs, *Research in Veterinary Science* (2017), doi: [10.1016/j.rvsc.2017.06.016](https://doi.org/10.1016/j.rvsc.2017.06.016)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Research in veterinary science

Chicory fructans in pig diet reduce skatole in back fat of entire male pigs

M. Aluwé¹, E. Heyrman^{1,2}, S. Theis³, C. Sieland³, K. Thurman⁴ and S. Millet¹

¹ Institute for Agricultural and Fisheries Research (ILVO), Animal Sciences Unit, Scheldeweg
68, 9090 Melle, Belgium

² KU Leuven, Livestock Genetics, Department of Biosystems, 3001 Heverlee, Belgium

³ Beneo – Institute, Wormser Strasse 11, 67283 Obrigheim, Germany

⁴ Beneo - Animal nutrition, Aandorenstraat 1, 3300 Tienen, Belgium

*Corresponding Author

Marijke Aluwé

Scheldeweg 68, 9090 Melle, Belgium

marijke.aluwe@ilvo.vlaanderen.be

Download English Version:

<https://daneshyari.com/en/article/5543844>

Download Persian Version:

<https://daneshyari.com/article/5543844>

[Daneshyari.com](https://daneshyari.com)