Title: The relation between energy intake and chewing index of diets fed to nursing ewes

Authors: M.V. Nielsen, E. Nadeau, B. Markussen, C. Helander, M. Eknæs, P. Nørgaard

PII: S0921-4488(17)30176-1
DOI: http://dx.doi.org/doi:10.1016/j.smallrumres.2017.06.017
Reference: RUMIN 5509

To appear in: *Small Ruminant Research*

Received date: 18-9-2016
Revised date: 20-5-2017
Accepted date: 19-6-2017

Please cite this article as: Nielsen, M.V., Nadeau, E., Markussen, B., Helander, C., Eknæs, M., Nørgaard, P., The relation between energy intake and chewing index of diets fed to nursing ewes.Small Ruminant Research http://dx.doi.org/10.1016/j.smallrumres.2017.06.017

The relation between energy intake and chewing index of diets fed to nursing ewes

M. V. Nielsen[a], E. Nadeau[b,c], B. Markussen[d], C. Helander[b], M. Eknæs[e], P. Nørgaard[a,*]

[a] *Department of Veterinary and Animal Sciences, Faculty of Health and Medical Sciences, University of Copenhagen, Grønnegårdsvej 3, 1, 1870 Frederiksberg, Denmark; mettevn@sund.ku.dk and pen@sund.ku.dk*

[b] *Department of Animal Environment and Health, Swedish University of Agricultural Sciences, Gråbrödragatan 19, SE-532 31 Skara, Sweden; elisabet.nadeau@slu.se and carl.helander@slu.se*

[c] *The Rural Economy and Agricultural Society Sjuhärad, Rådde Gård, 514 05 Länghem, Sweden*

[d] *Laboratory for Applied Statistics, Department of Mathematical Sciences, Faculty of Science, University of Copenhagen, Universitetsparken 5, 2100 Copenhagen, Denmark; bomar@math.ku.dk*

[e] *Department of Animal and Aquacultural Sciences, Norwegian University of Life Sciences, P.O. Box 5003, N-1432 Ås, Norway; margrete.eknas@nmbu.no*

* Corresponding author at: Tel. +45 35330945; *E-mail address:* pen@sund.ku.dk

Highlights

- Metabolizable energy intake in nursing ewe decreased with increasing chewing index
- The intercept value was considered as the metabolic intake capacity of the ewe
- Decreasing intake at increasing chewing index is related to intake capacity
- The estimated maximum daily chewing time increased during early lactation