

Accepted Manuscript

Title: Tacrolimus loaded biocompatible lecithin-based microemulsions with improved skin penetration: structure characterization and in vitro/in vivo performances

Authors: Vedrana Savić, Marija Todosijević, Tanja Ilić, Milica Lukić, Evgenia Mitsou, Vassiliki Papadimitriou, Spyridon Avramiotis, Bojan Marković, Nebojša Cekić, Snežana Savić



PII: S0378-5173(17)30635-X
DOI: <http://dx.doi.org/doi:10.1016/j.ijpharm.2017.07.036>
Reference: IJP 16851

To appear in: *International Journal of Pharmaceutics*

Received date: 15-4-2017
Revised date: 9-7-2017
Accepted date: 11-7-2017

Please cite this article as: Savić, Vedrana, Todosijević, Marija, Ilić, Tanja, Lukić, Milica, Mitsou, Evgenia, Papadimitriou, Vassiliki, Avramiotis, Spyridon, Marković, Bojan, Cekić, Nebojša, Savić, Snežana, Tacrolimus loaded biocompatible lecithin-based microemulsions with improved skin penetration: structure characterization and in vitro/in vivo performances. *International Journal of Pharmaceutics* <http://dx.doi.org/10.1016/j.ijpharm.2017.07.036>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Tacrolimus loaded biocompatible lecithin-based microemulsions with improved skin penetration: structure characterization and *in vitro/in vivo* performances

Vedrana Savić¹, Marija Todosijević¹, Tanja Ilić¹, Milica Lukić¹, Evgenia Mitsou², Vassiliki Papadimitriou², Spyridon Avramiotis², Bojan Marković³, Nebojša Cekić^{4,5}, Snežana Savić^{1,*}

¹Department of Pharmaceutical Technology and Cosmetology, Faculty of Pharmacy, University of Belgrade, Belgrade, Serbia

²Institute of Biology, Medicinal Chemistry & Biotechnology, National Hellenic Research Foundation, Athens, Greece

³Department of Pharmaceutical Chemistry, Faculty of Pharmacy, University of Belgrade, Belgrade, Serbia


⁴Faculty of Technology, University of Niš, Leskovac, Serbia

⁵DCP Hemigal, Leskovac, Serbia

*Corresponding author at: Department of Pharmaceutical Technology and Cosmetology, Faculty of Pharmacy, University of Belgrade, Vojvode Stepe 450, 11221 Belgrade, Serbia. Electronic mail: snexs@pharmacy.bg.ac.rs

Tel.: +381113951366; Fax: +381113972840.

Graphical abstract



ABSTRACT

In order to improve skin penetration of tacrolimus we aimed to develop potentially non-irritant, lecithin-based microemulsions containing ethanol, isopropanol and/or propylene

Download English Version:

<https://daneshyari.com/en/article/5550221>

Download Persian Version:

<https://daneshyari.com/article/5550221>

[Daneshyari.com](https://daneshyari.com)