## Accepted Manuscript

Title: Targeted delivery of anticancer drugs to tumor vessels by use of liposomes modified with a peptide identified by phage biopanning with human endothelial progenitor cells

Authors: Tatsuya Fukuta, Tomohiro Asai, Yuri Kiyokawa, Takashi Nakada, Koji Bessyo-Hirashima, Natsuki Fukaya, Kenji Hyodo, Kazuma Takase, Hiroshi Kikuchi, Naoto Oku

PII: S0378-5173(17)30246-6

DOI: http://dx.doi.org/doi:10.1016/j.ijpharm.2017.03.059

Reference: IJP 16531

To appear in: International Journal of Pharmaceutics

Received date: 22-11-2016 Revised date: 15-3-2017 Accepted date: 24-3-2017

Please cite this article as: Fukuta, Tatsuya, Asai, Tomohiro, Kiyokawa, Yuri, Nakada, Takashi, Bessyo-Hirashima, Koji, Fukaya, Natsuki, Hyodo, Kenji, Takase, Kazuma, Kikuchi, Hiroshi, Oku, Naoto, Targeted delivery of anticancer drugs to tumor vessels by use of liposomes modified with a peptide identified by phage biopanning with human endothelial progenitor cells.International Journal of Pharmaceutics http://dx.doi.org/10.1016/j.ijpharm.2017.03.059

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



## ACCEPTED MANUSCRIPT

Targeted delivery of anticancer drugs to tumor vessels by use of liposomes modified with a peptide identified by phage biopanning with human endothelial progenitor cells

Tatsuya Fukuta,<sup>1, 2, a</sup> Tomohiro Asai,<sup>1, a</sup> Yuri Kiyokawa,<sup>1</sup> Takashi Nakada,<sup>1</sup> Koji Bessyo-Hirashima,<sup>1</sup> Natsuki Fukaya,<sup>1</sup> Kenji Hyodo,<sup>3</sup> Kazuma Takase,<sup>3</sup> Hiroshi Kikuchi,<sup>3</sup> Naoto Oku<sup>1, \*</sup>

<sup>1</sup>Department of Medical Biochemistry, School of Pharmaceutical Sciences, University of Shizuoka,

52-1 Yada, Suruga-ku, Shizuoka 422-8526, Japan

<sup>2</sup>Japan Society for the Promotion of Science (JSPS), 5-3-1 Kojimachi, Chiyoda-ku, Tokyo 102-0083,

Japan

<sup>3</sup>Tsukuba Research Laboratories, Eisai Co. Ltd., 5-1-3 Tokodai, Tsukuba, Ibaraki 300-2635, Japan

\*Correspondence author: Naoto Oku

TEL: +81-54-264-5701

FAX: +81-54-264-5705

Email: oku@u-shizuoka-ken.ac.jp

Department of Medical Biochemistry, School of Pharmaceutical Sciences, University of Shizuoka,

52-1 Yada, Suruga-ku, Shizuoka 422-8526, Japan

<sup>a</sup> These authors equally contributed to this work.

## Download English Version:

## https://daneshyari.com/en/article/5550501

Download Persian Version:

https://daneshyari.com/article/5550501

Daneshyari.com