Exercise training reverses the negative effects of chronic L-arginine supplementation on insulin sensitivity

Rafael Barrera Salgueiro, Frederico Gerlinger-Romero, Lucas Guimarães-Ferreira, Thais de Castro Barbosa, Maria Tereza Nunes

PII: S0024-3205(17)30505-2
DOI: doi:10.1016/j.lfs.2017.10.001
Reference: LFS 15369

To appear in: *Life Sciences*

Received date: 23 May 2017
Revised date: 24 September 2017
Accepted date: 1 October 2017

Please cite this article as: Rafael Barrera Salgueiro, Frederico Gerlinger-Romero, Lucas Guimarães-Ferreira, Thais de Castro Barbosa, Maria Tereza Nunes , Exercise training reverses the negative effects of chronic L-arginine supplementation on insulin sensitivity. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Lfs(2017), doi:10.1016/j.lfs.2017.10.001

Exercise training reverses the negative effects of chronic L-arginine supplementation on insulin sensitivity

Rafael Barrera Salgueiro[1], Frederico Gerlinger-Romero[2], Lucas Guimarães-Ferreira[3], Thais de Castro Barbosa[4], Maria Tereza Nunes[1].

[1]Department of Physiology and Biophysics, Institute of Biomedical Sciences, University of Sao Paulo, 05508-900 São Paulo, Sao Paulo, Brazil

[2]School of Exercise and Nutrition Sciences, Institute for Physical Activity and Nutrition (IPAN), Deakin University, VIC, Australia.

[3]Exercise Metabolism Research group, Center of Physical Education and Sports, Federal University of Espirito Santo, Vitoria, Brazil.

[4]Department of Physiology and Pharmacology, Karolinska Institutet, Stockholm, Sweden.

Corresponding author:

Rafael Barrera Salgueiro

Department of Physiology and Biophysics

Institute of Biomedical Sciences, University of São Paulo,

Av. Prof. Lineu Prestes, 1524.

05508-900. Sao Paulo, Sao Paulo, Brazil

email: rafaeleefe@yahoo.com.br