

Accepted Manuscript

Title: Significant HLA class I type associations with aromatic antiepileptic drug (AED)-induced SJS/TEN are different from those found for the same AED-induced DRESS in the Spanish population



Author: Elena Ramírez Teresa Bellón Hoi Y. Tong Alberto M. Borobia Francisco J. de Abajo Victoria Lerma Miguel A. Moreno Hidalgo José L. Castañer Rosario Cabañas Ana Fiandor Jessica González-Ramos Pedro Herranz Lucía Cachafeiro Carlos González-Herrada Olga González José A. Aramburu Olga Laosa Rafael Hernández Antonio J. Carcas Jesús Frías

PII: S1043-6618(16)30590-4
DOI: <http://dx.doi.org/doi:10.1016/j.phrs.2016.11.027>
Reference: YPHRS 3410

To appear in: *Pharmacological Research*

Received date: 20-6-2016
Revised date: 21-11-2016
Accepted date: 21-11-2016

Please cite this article as: Ramírez Elena, Bellón Teresa, Tong Hoi Y, Borobia Alberto M, de Abajo Francisco J, Lerma Victoria, Moreno Hidalgo Miguel A, Castañer José L, Cabañas Rosario, Fiandor Ana, González-Ramos Jessica, Herranz Pedro, Cachafeiro Lucía, González-Herrada Carlos, González Olga, Aramburu José A, Laosa Olga, Hernández Rafael, Carcas Antonio J, Frías Jesús. Significant HLA class I type associations with aromatic antiepileptic drug (AED)-induced SJS/TEN are different from those found for the same AED-induced DRESS in the Spanish population. *Pharmacological Research* <http://dx.doi.org/10.1016/j.phrs.2016.11.027>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

TITLE PAGE

TITLE: Significant HLA class I type associations with aromatic antiepileptic drug (AED)-induced SJS/TEN are different from those found for the same AED-induced DRESS in the Spanish population

RUNNING TITLE: Specific HLA class I types associated with AED-induced SCAR

Authors: Elena Ramírez,¹ Teresa Bellón,² Hoi Y Tong,¹ Alberto M Borobia,¹ Francisco J de Abajo,³ Victoria Lerma,³ Miguel A Moreno Hidalgo,⁴ José L Castañer,⁴ Rosario Cabañas,⁵ Ana Fiandor,⁵ Jessica González-Ramos,⁶ Pedro Herranz,⁶ Lucía Cachafeiro,⁷ Carlos González-Herrada,⁸ Olga González,⁸ José A Aramburu,⁹ Olga Laosa,¹⁰ Rafael Hernández,¹ Antonio J Carcas,¹ Jesús Frías¹

¹ Department of Clinical Pharmacology, La Paz University Hospital-Carlos III, IdiPAZ, School of Medicine, Autonomous University of Madrid, Madrid, Spain.

² Institute for Health Research, La Paz University Hospital, IdiPAZ, Madrid, Spain.

³ Clinical Pharmacology Unit, Príncipe de Asturias University Hospital, Department of Biomedical Sciences (Pharmacology), University of Alcalá, Madrid, Spain

⁴ Immunology Department, Ramón y Cajal University Hospital, Madrid, Spain

⁵ Allergy Department, La Paz University Hospital-Carlos III, IdiPAZ, Madrid, Spain.

⁶ Dermatology Department, La Paz University Hospital-Carlos III, IdiPAZ, Madrid, Spain.

⁷ Intensive Care Department, La Paz University Hospital-Carlos III, IdiPAZ, Madrid, Spain.

⁸ Dermatology Department, Getafe University Hospital, Madrid, Spain.

Download English Version:

<https://daneshyari.com/en/article/5557532>

Download Persian Version:

<https://daneshyari.com/article/5557532>

[Daneshyari.com](https://daneshyari.com)