

Neuromuscular paralysis by the basic phospholipase A2 subunit of crotoxin from Crotalus durissus terrificus snake venom needs its acid chaperone to concurrently inhibit acetylcholine release and produce muscle blockage

Walter L.G. Cavalcante, José B. Noronha-Matos, Maria A. Timóteo, Marcos R. de Mattos Fontes, Márcia Gallacci, Paulo Correia-de-Sá

PII: S0041-008X(17)30365-4
DOI: doi: 10.1016/j.taap.2017.08.021
Reference: YTAAP 14040

To appear in: *Toxicology and Applied Pharmacology*

Received date: 20 June 2017
Revised date: 10 August 2017
Accepted date: 30 August 2017

Please cite this article as: Walter L.G. Cavalcante, José B. Noronha-Matos, Maria A. Timóteo, Marcos R. de Mattos Fontes, Márcia Gallacci, Paulo Correia-de-Sá , Neuromuscular paralysis by the basic phospholipase A2 subunit of crotoxin from Crotalus durissus terrificus snake venom needs its acid chaperone to concurrently inhibit acetylcholine release and produce muscle blockage. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Ytaap(2017), doi: 10.1016/j.taap.2017.08.021

Neuromuscular paralysis by the basic phospholipase A_2 subunit of crotoxin from *Crotalus durissus terrificus* snake venom needs its acid chaperone to concurrently inhibit acetylcholine release and produce muscle blockage

Walter L. G. Cavalcante[a,b,d*], José B. Noronha-Matos[b,c*], Maria A. Timóteo[b,c], Marcos R. de Mattos Fontes[d], Márcia Gallacci[e], Paulo Correia-de-Sá[b,c]

[a]Departamento de Farmacologia, Instituto de Ciências Biológicas, UFMG, Av. Antônio Carlos, 6627, Belo Horizonte, Brazil

[b]Laboratório de Farmacologia e Neurobiologia, [c]Center for Drug Discovery and Innovative Medicines (MedInUP), Instituto de Ciências Biomédicas Abel Salazar - Universidade do Porto (ICBAS-UP), R. Jorge Viterbo Ferreira, 228, 4050-313, Porto, Portugal

[d]Departamento de Física e Biofísica, Instituto de Biociências, UNESP, Distrito de Rubião Jr., Botucatu, 18618-970 São Paulo, Brazil

[e]Departamento de Farmacologia, Instituto de Biociências, UNESP, Distrito de Rubião Jr., Botucatu, 18618-970 São Paulo, Brazil

**These authors contributed equally to this work*

Corresponding authors:

Paulo Correia-de-Sá, MD, PhD, Laboratório de Farmacologia e Neurobiologia / MedInUP, Instituto de Ciências Biomédicas de Abel Salazar (ICBAS) – Universidade do Porto (UP), R. Jorge Viterbo Ferreira, 228, 4050-313 Porto, Portugal. Tel.: 351-220428212; fax: 351-220428090. *E-mail address:* farmacol@icbas.up.pt.

M. Gallacci, MD, PhD, Departamento de Farmacologia, Instituto de Biociências, Universidade Estadual Paulista (UNESP), Rua Prof. Dr. Antônio Celso Wagner Zanin, 250. Distrito de Rubião Junior, Botucatu, São Paulo, Brazil. CEP 18618-689. Tel*:* 51 (14) 3880-0238. *E-mail address:* gallacci@ibb.unesp.br