

Accepted Manuscript

Title: Validity and intra-rater reliability of *MyJump* app on iPhone6s in jump performance.

Author: Robert Stanton Sally-Anne Wintour Crystal O Kean

PII: S1440-2440(16)30216-X
DOI: <http://dx.doi.org/doi:10.1016/j.jsams.2016.09.016>
Reference: JSAMS 1402

To appear in: *Journal of Science and Medicine in Sport*

Received date: 9-4-2016
Revised date: 12-9-2016
Accepted date: 30-9-2016

Please cite this article as: Stanton Robert, Wintour Sally-Anne, Kean Crystal O. Validity and intra-rater reliability of MyJump app on iPhone6s in jump performance. *Journal of Science and Medicine in Sport* <http://dx.doi.org/10.1016/j.jsams.2016.09.016>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Validity and intra-rater reliability of *MyJump* app on iPhone6s in jump performance.

Robert Stanton¹, Sally-Anne Wintour¹, Crystal O Kean¹.

¹ School of Medical and Applied Sciences, Central Queensland University, Rockhampton, Australia

Corresponding Author: Dr Robert Stanton

School of Medical and Applied Sciences

Central Queensland University

Bruce Highway, Rockhampton, Queensland, Australia

Phone: +61 7 4923 2275

Email: r.stanton@cqu.edu.au

Word count: 3000

Abstract word count: 237

Number of Tables: 2

Number of Figures: 1

Download English Version:

<https://daneshyari.com/en/article/5573787>

Download Persian Version:

<https://daneshyari.com/article/5573787>

[Daneshyari.com](https://daneshyari.com)