

Accepted Manuscript

Dipeptidyl peptidase-4 inhibitors, peripheral arterial disease and lower extremity amputation risk in diabetic patients

Chun-Chin Chang, M.D., Yung-Tai Chen, M.D., Chien-Yi Hsu, M.D., Yu-Wen Su, M.D., Chun-Chih Chiu, M.D., Hsin-Bang Leu, M.D., Ph.D., Po-Hsun Huang, M.D., Ph.D., Jaw-Wen Chen, M.D., Ph.D., Shing-Jong Lin, M.D., Ph.D.

PII: S0002-9343(16)31189-5

DOI: [10.1016/j.amjmed.2016.10.016](https://doi.org/10.1016/j.amjmed.2016.10.016)

Reference: AJM 13775

To appear in: *The American Journal of Medicine*

Received Date: 20 May 2016

Revised Date: 7 October 2016

Accepted Date: 18 October 2016

Please cite this article as: Chang CC, Chen YT, Hsu CY, Su YW, Chiu CC, Leu HB, Huang PH, Chen JW, Lin SJ, Dipeptidyl peptidase-4 inhibitors, peripheral arterial disease and lower extremity amputation risk in diabetic patients, *The American Journal of Medicine* (2016), doi: 10.1016/j.amjmed.2016.10.016.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Dipeptidyl peptidase-4 inhibitors, peripheral arterial disease and lower extremity amputation risk in diabetic patients

*Chun-Chin Chang, M.D.^{1,7,9}, *Yung-Tai Chen, M.D.^{2,9}, Chien-Yi Hsu, M.D.^{7,9,10}, Yu-Wen Su, M.D.³, Chun-Chih Chiu, M.D.^{4,7}, Hsin-Bang Leu, M.D.,Ph.D.^{4,6,7}, Po-Hsun Huang, M.D.,Ph.D.^{4,7,9}, Jaw-Wen Chen, M.D.,Ph.D.^{4,5,7,8}, Shing-Jong Lin, M.D.,Ph.D.^{4,7,9,10}

¹Taipei Veterans General Hospital Taoyuan Branch, Division of Nephrology; ²Department of Medicine, Taipei City Hospital, Heping Fuyou Branch; ³Division of Endocrinology and Metabolism, Department of Medicine; ⁴Division of Cardiology, Department of Medicine; ⁵Department of Medical Research; ⁶Healthcare and Management Center, Taipei Veterans General Hospital, Taipei, Taiwan; ⁷Cardiovascular Research Center; ⁸Institute of Pharmacology; ⁹Institute of Clinical Medicine, National Yang-Ming University, Taipei, Taiwan; ¹⁰Taipei Medical University, Taipei, Taiwan.

*Dr. Chun-Chin Chang, and Dr. Yung-Tai Chen contributed equally and both are first authors of this work.

Corresponding authors:

Dr. Po-Hsun Huang, MD, PhD

Division of Cardiology, Taipei Veterans General Hospital, Taipei, Taiwan

112, No. 201, Sec. 2, Shih-Pai Road, Taipei, Taiwan

E-mail: hunagbs@vghtpe.gov.tw

Professor Shing-Jong Lin, MD, PhD;

Department of Medical Research,

Taipei Veterans General Hospital, Taipei, Taiwan

112, No. 201, Sec. 2, Shih-Pai Road, Taipei, Taiwan

E-mail: sjlin@vghtpe.gov.tw

Funding: None

Conflicts of interest: None

A running head: Dipeptidyl peptidase-4 inhibitors and peripheral arterial disease

Download English Version:

<https://daneshyari.com/en/article/5576342>

Download Persian Version:

<https://daneshyari.com/article/5576342>

[Daneshyari.com](https://daneshyari.com)