Accepted Manuscript

Impact of Prosthesis-Patient Mismatch on Long-Term Functional Capacity After Mechanical Aortic Valve Replacement

Hélène Petit-Eisenmann, MD, Eric Epailly, MD, Michel Velten, MD, PhD, Jelena Radojevic, MD, Bernard Eisenmann, MD, Hélène Kremer, MD, PhD, Michel Kindo, MD, PhD

PII: S0828-282X(16)00222-1

DOI: 10.1016/j.cjca.2016.02.076

Reference: CJCA 2065

To appear in: Canadian Journal of Cardiology

Received Date: 29 October 2015
Revised Date: 19 February 2016
Accepted Date: 20 February 2016

Please cite this article as: Petit-Eisenmann H, Epailly E, Velten M, Radojevic J, Eisenmann B, Kremer H, Kindo M, Impact of Prosthesis-Patient Mismatch on Long-Term Functional Capacity After Mechanical Aortic Valve Replacement, *Canadian Journal of Cardiology* (2016), doi: 10.1016/j.cjca.2016.02.076.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

Impact of Prosthesis-Patient Mismatch on Long-Term Functional Capacity After

Mechanical Aortic Valve Replacement

Hélène Petit-Eisenmann, MD¹, Eric Epailly, MD², Michel Velten, MD, PhD³, Jelena

Radojevic, MD¹, Bernard Eisenmann, MD², Hélène Kremer, MD, PhD², Michel Kindo, MD,

 PhD^2

¹ Department of Cardiology, Strasbourg University Hospital, France

² Department of Cardiac Surgery, Strasbourg University Hospital, France

³ Department of Epidemiology and Public Health, EA 3430, University of Strasbourg, France

Short title: Impact of prosthesis-patient mismatch

Word count: 4501

Address for correspondence: Dr. Hélène Petit-Eisenmann, Service d'Explorations

Fonctionnelles Non Invasives, Nouvel Hôpital Civil, 1 place de la porte de l'Hôpital, 67091

Strasbourg Cedex, France. Phone: +33369550961 Fax: +33369551873, E-mail:

helene.petit@chru-strasbourg.fr

Keywords:

Aortic stenosis, aortic valve replacement, prosthesis-patient mismatch, maximal oxygen

uptake, cardiopulmonary exercise testing, quality of life.

1

Download English Version:

https://daneshyari.com/en/article/5577174

Download Persian Version:

https://daneshyari.com/article/5577174

<u>Daneshyari.com</u>