## **Accepted Manuscript**

Decision-making regarding the place of end-of-life cancer care: The burden on bereaved families and related factors

Sena Yamamoto, RN, PhD, Harue Arao, RN, PhD, Eiko Masutani, RN, MS, Miwa Aoki, RN, MSN, Megumi Kishino, RN, MSN, Tatsuya Morita, MD, Yasuo Shima, MD, Yoshiyuki Kizawa, MD, PhD, Satoru Tsuneto, MD, PhD, Maho Aoyama, RN, PhD, Mitsunori Miyashita, RN, PhD

JOURNAL OF
PAIN AND SYMPTOM
MANAGEMENT

See 19

See 20

PII: S0885-3924(17)30043-X

DOI: 10.1016/j.jpainsymman.2016.12.348

Reference: JPS 9367

To appear in: Journal of Pain and Symptom Management

Received Date: 31 August 2016

Revised Date: 21 December 2016 Accepted Date: 30 December 2016

Please cite this article as: Yamamoto S, Arao H, Masutani E, Aoki M, Kishino M, Morita T, Shima Y, Kizawa Y, Tsuneto S, Aoyama M, Miyashita M, Decision-making regarding the place of end-of-life cancer care: The burden on bereaved families and related factors, *Journal of Pain and Symptom Management* (2017), doi: 10.1016/j.jpainsymman.2016.12.348.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Original Article** 

16-00540R1

Decision-making regarding the place of end-of-life cancer care: The burden on bereaved

families and related factors

Sena Yamamoto, RN, PhD; Harue Arao, RN, PhD; Eiko Masutani, RN, MS; Miwa Aoki, RN, MSN;

Megumi Kishino, RN, MSN; Tatsuya Morita, MD; Yasuo Shima, MD; Yoshiyuki Kizawa, MD,

PhD; Satoru Tsuneto, MD, PhD; Maho Aoyama, RN, PhD; Mitsunori Miyashita, RN, PhD

Department of Nursing (S.Y.), Social Medical Corporation Hakuaikai Sagara Hospital, Kagoshima;

Division of Health Sciences (H.A., E. M.), Osaka University Graduate School of Medicine, Suita;

Faculty of Nursing (M. A.), University of Kochi, Kochi; Department of Nursing (M.K.), Kobe

University Hospital, Kobe; Palliative and Supportive Care Division (T.M.), Seirei Mikatahara

Hospital, Hamamatsu; Department of Palliative Medicine (Y.S.), Tsukuba Medical Center Hospital,

Tsukuba; Department of Palliative Medicine (Y.K.), Kobe University Graduate School of Medicine,

Kobe; Department of Palliative Medicine (S.T.), Kyoto University Hospital, Kyoto; Community

Health Nursing, Course of Nursing (M.A.), Tohoku University Graduate School of Medicine,

Sendai; and; Department of Palliative Nursing, Health Sciences (M.M.), Tohoku University

Graduate School of Medicine, Sendai, Japan

Address correspondence to:

Harue Arao, RN, PhD

Division of Health Sciences, Osaka University Graduate School of Medicine

1-7 Yamadaoka, Suita, Osaka 565-0872, Japan

TEL & FAX: +81-6-6879-2542

Email: h-arao@sahs.med.osaka-u.ac.jp

1

## Download English Version:

## https://daneshyari.com/en/article/5578170

Download Persian Version:

https://daneshyari.com/article/5578170

<u>Daneshyari.com</u>