

Accepted Manuscript

Effects of End-of-Life Discussions on the Mental Health of Bereaved Family Members and Quality of Patient Death and Care

Takashi Yamaguchi, M.D, Ph.D., Isseki Maeda, M.D, Ph.D., Yutaka Hatano, M.D, Ph.D., Masanori Mori, M.D., Yasuo Shima, M.D., Satoru Tsuneto, M.D, Ph.D., Yoshiyuki Kizawa, M.D, Ph.D., Tatsuya Morita, M.D., Takuhiro Yamaguchi, Ph.D., Maho Aoyama, R.N, M.N., Mitsunori Miyashita, R.N, Ph.D.



PII: S0885-3924(17)30162-8

DOI: [10.1016/j.jpainsymman.2017.03.008](https://doi.org/10.1016/j.jpainsymman.2017.03.008)

Reference: JPS 9406

To appear in: *Journal of Pain and Symptom Management*

Received Date: 20 December 2016

Revised Date: 2 March 2017

Accepted Date: 17 March 2017

Please cite this article as: Yamaguchi T, Maeda I, Hatano Y, Mori M, Shima Y, Tsuneto S, Kizawa Y, Morita T, Yamaguchi T, Aoyama M, Miyashita M, Effects of End-of-Life Discussions on the Mental Health of Bereaved Family Members and Quality of Patient Death and Care, *Journal of Pain and Symptom Management* (2017), doi: 10.1016/j.jpainsymman.2017.03.008.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Original Article**16-00791R1****Effects of End-of-Life Discussions on the Mental Health of Bereaved Family Members and Quality of Patient Death and Care**

Takashi Yamaguchi, M.D, Ph.D.;^{1, 2} Isseki Maeda, M.D, Ph.D.;³ Yutaka Hatano, M.D, Ph.D.;⁴ Masanori Mori, M.D.;⁵ Yasuo Shima, M.D.;⁶ Satoru Tsuneto, M.D, Ph.D.;⁷ Yoshiyuki Kizawa, M.D, Ph.D.;¹ Tatsuya Morita, M.D.;⁸ Takuhiro Yamaguchi, Ph.D.;⁹ Maho Aoyama, R.N, M.N.;¹⁰ and Mitsunori Miyashita, R.N, Ph.D.¹⁰

¹ Department of Palliative Medicine, Kobe University Graduate School of Medicine, Kobe, Japan

² Department of Palliative Care, Hyogo Prefectural Kakogawa Medical Center, Kakogawa, Japan

³ Gratia Hospice, Gratia Research and Clinical Education (GRACE) Center, Gratia Hospital, Minoh, Japan

⁴ Department of Psychosomatic Medicine, Kinki University Hospital, Osaka-Sayama, Japan.

⁵ Department of Laboratory Medicine, Seirei Mikatahara General Hospital, Hamamatsu, Japan

⁶ Department of Palliative Medicine, Tsukuba Medical Center Hospital, Tsukuba, Japan

⁷ Department of Human Health Sciences, Graduate School of Medicine, Kyoto University, Kyoto, Japan

⁸ Department of Palliative and Supportive Care, Seirei Mikatahara General Hospital, Hamamatsu, Japan

⁹ Division of Biostatistics, Tohoku University Graduate School of Medicine, Sendai, Japan

¹⁰ Division of Palliative Nursing, Health Sciences, Tohoku University Graduate School of Medicine, Sendai, Japan

Corresponding Author:

Takashi Yamaguchi, M.D, Ph.D.

Department of Palliative Medicine

Kobe University Graduate School of Medicine

7-5-1, Kusunoki-cho, Kobe 650-0017

Japan

Phone: 81-78-382-6531

Fax: 81-78-382-6534

Email: ikagoro@pop06.odn.ne.jp

Download English Version:

<https://daneshyari.com/en/article/5578692>

Download Persian Version:

<https://daneshyari.com/article/5578692>

[Daneshyari.com](https://daneshyari.com)