Accepted Manuscript

Safety and tolerability of anthracycline-containing adjuvant chemotherapy in elderly high-risk breast cancer patients

Vasilios Karavasilis, Christos Papadimitriou, Helen Gogas, George Kouvatseas, George Pentheroudakis, Angelos Koutras, Christos Christodoulou, Dimitrios Bafaloukos, Epaminontas Samantas, Nikolaos Pisanidis, Pavlos Papakostas, Gerasimos Aravantinos, Charisios Karanikiotis, Paris Kosmidis, Dimitrios Pectasides, Meletios-Athanassios Dimopoulos, George Fountzilas

PII: \$1526-8209(15)00296-7

DOI: 10.1016/j.clbc.2015.12.001

Reference: CLBC 440

To appear in: Clinical Breast Cancer

Received Date: 13 October 2015
Revised Date: 7 December 2015

Accepted Date: 9 December 2015

Please cite this article as: Karavasilis V, Papadimitriou C, Gogas H, Kouvatseas G, Pentheroudakis G, Koutras A, Christodoulou C, Bafaloukos D, Samantas E, Pisanidis N, Papakostas P, Aravantinos G, Karanikiotis C, Kosmidis P, Pectasides D, Dimopoulos M-A, Fountzilas G, Safety and tolerability of anthracycline-containing adjuvant chemotherapy in elderly high-risk breast cancer patients, *Clinical Breast Cancer* (2016), doi: 10.1016/j.clbc.2015.12.001.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

Safety and tolerability of anthracycline-containing adjuvant chemotherapy in elderly high-risk breast cancer patients

Vasilios Karavasilis¹, Christos Papadimitriou², Helen Gogas³, George Kouvatseas⁴, George Pentheroudakis⁵, Angelos Koutras⁶, Christos Christodoulou⁷, Dimitrios Bafaloukos⁸, Epaminontas Samantas⁹, Nikolaos Pisanidis¹⁰, Pavlos Papakostas¹¹, Gerasimos Aravantinos¹², Charisios Karanikiotis¹³, Paris Kosmidis¹⁴, Dimitrios Pectasides¹⁵, Meletios-Athanassios Dimopoulos², George Fountzilas¹⁶

¹Department of Medical Oncology, "Papageorgiou" Hospital, Aristotle University of Thessaloniki, School of Health Sciences, Faculty of Medicine, Thessaloniki, Greece; ²Department of Clinical Therapeutics, "Alexandra" Hospital, University of Athens School of Medicine, Athens, Greece; ³First Department of Medicine, "Laiko" General Hospital, University of Athens, Medical School, Athens, Greece; ⁴Health Data Specialists Ltd, Athens, Greece; ⁵Department of Medical Oncology, Ioannina University Hospital, Ioannina, Greece; ⁶Division of Oncology, Department of Medicine, University Hospital, University of Patras Medical School, Patras, Greece; ⁷Second Department of Medical Oncology, "Metropolitan" Hospital, Piraeus, Greece; ⁸First Department of Medical Oncology, "Metropolitan" Hospital, Piraeus, Greece; ⁹Third Department of Medical Oncology, "Agii Anargiri" Cancer Hospital, Athens, Greece; ¹⁰Department of Medical Oncology, IKA Hospital, Thessaloniki, Greece: ¹¹Department of Medical Oncology, "Hippokration" Hospital, Athens, Greece; ¹²Second Department of Medical Oncology, "Agii Anargiri" Cancer Hospital, Athens, Greece; ¹³Department of Medical Oncology, 424 Army General Hospital, Thessaloniki, Greece; ¹⁴Second Department of Medical Oncology, Hygeia Hospital, Athens, Greece; ¹⁵Oncology Section, Second Department of Internal Medicine, "Hippokration" Hospital, Athens, Greece; ¹⁶Laboratory of Molecular Oncology, Hellenic Foundation for Cancer Research, Aristotle University of Thessaloniki, Thessaloniki, Greece.

Short title: High-risk early breast cancer in elderly patients.

Corresponding author:

Download English Version:

https://daneshyari.com/en/article/5580691

Download Persian Version:

https://daneshyari.com/article/5580691

<u>Daneshyari.com</u>