


Accepted Manuscript

Epithelial-to-mesenchymal transition and its correlation with clinicopathological features in patients with urothelial carcinoma of the bladder

R. Singh, J.A. Ansari, N. Maurya, A. Mandhani, V. Agrawal, M. Garg



PII: S1558-7673(16)30224-5

DOI: [10.1016/j.clgc.2016.07.021](https://doi.org/10.1016/j.clgc.2016.07.021)

Reference: CLGC 670

To appear in: *Clinical Genitourinary Cancer*

Received Date: 23 May 2016

Revised Date: 26 July 2016

Accepted Date: 30 July 2016

Please cite this article as: Singh R, Ansari J, Maurya N, Mandhani A, Agrawal V, Garg M, Epithelial-to-mesenchymal transition and its correlation with clinicopathological features in patients with urothelial carcinoma of the bladder, *Clinical Genitourinary Cancer* (2016), doi: 10.1016/j.clgc.2016.07.021.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Microabstract

This study evaluates the diagnostic and prognostic potential of epithelial-to-mesenchymal transition (EMT) biomarkers in urinary bladder cancer in clinical setting. Molecular validation of EMT marker profile and its correlation with poor clinical outcome make it as a sensitive and effective prognostic tool for the objective and systematic investigation of EMT functions in the pathogenesis of urinary bladder cancer.

Download English Version:

<https://daneshyari.com/en/article/5581244>

Download Persian Version:

<https://daneshyari.com/article/5581244>

[Daneshyari.com](https://daneshyari.com)