Accepted Manuscript

Duration of twice-daily thoracic radiotherapy and time from the start of any treatment to the end of chest irradiation as significant predictors of outcomes in limited-disease small-cell lung cancer

Masahiro Morimoto, Kyoichi Okishio, Masanori Akira, Naoki Omachi, Akihiro Tamiya, Kazuhiro Asami, Tomoya Kawaguchi, Shinji Atagi

PII: \$1525-7304(16)30229-7

DOI: 10.1016/j.cllc.2016.09.004

Reference: CLLC 530

To appear in: Clinical Lung Cancer

Received Date: 31 May 2016

Revised Date: 6 September 2016 Accepted Date: 6 September 2016

Please cite this article as: Morimoto M, Okishio K, Akira M, Omachi N, Tamiya A, Asami K, Kawaguchi T, Atagi S, Duration of twice-daily thoracic radiotherapy and time from the start of any treatment to the end of chest irradiation as significant predictors of outcomes in limited-disease small-cell lung cancer, *Clinical Lung Cancer* (2016), doi: 10.1016/j.cllc.2016.09.004.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

Duration of twice-daily thoracic radiotherapy and time from the start of any

treatment to the end of chest irradiation as significant predictors of outcomes in

limited-disease small-cell lung cancer

Masahiro Morimoto ^{1, 4, *}, Kyoichi Okishio ², Masanori Akira ³, Naoki Omachi ², Akihiro

Tamiya², Kazuhiro Asami^{2,5}, Tomoya Kawaguchi^{2,6}, Shinji Atagi

¹Department of Radiation Oncology, National Hospital Organization Kinki-chuo Chest

Medical Center, Sakai, Japan; ²Department of Internal Medicine, National Hospital

Organization Kinki-chuo Chest Medical Center, Sakai, Japan; ³Department of

Radiology, National Hospital Organization Kinki-chuo Chest Medical Center, Sakai.

Japan; ⁴Department of Radiation Oncology, Nara Medical University School of

Medicine, Kashihara, Japan; ⁵Department of Clinical Oncology, Sagamihara-higashi

Clinic, Sagamihara, Japan; and ⁶Department of Respiratory Medicine, Graduate School

of Medicine, Osaka City University, Osaka, Japan

*Corresponding author: Masahiro Morimoto, MD, PhD

Address: 1180 Nagasone-cho, Kita-ku, Sakai, Osaka 591-8555, Japan

E-mail: morimoto-knk@umin.ac.jp

1

Download English Version:

https://daneshyari.com/en/article/5581373

Download Persian Version:

https://daneshyari.com/article/5581373

<u>Daneshyari.com</u>