

Accepted Manuscript

Pharmacokinetics of bupivacaine after bilateral ultrasound-guided transversus abdominis plane block following cesarean delivery under spinal anesthesia

B. Trabelsi, R. Charfi, L. Bennisr, S. Ben Marzouk, H. Eljebari, N. Jebabli, M. Ben Sassi, S. Trabelsi, H. Maghrebi

PII: S0959-289X(17)30011-0

DOI: <http://dx.doi.org/10.1016/j.ijoa.2017.04.007>

Reference: YIJOA 2564

To appear in: *International Journal of Obstetric Anesthesia*

Received Date: 18 January 2017

Revised Date: 11 March 2017

Accepted Date: 14 April 2017

Please cite this article as: Trabelsi, B., Charfi, R., Bennisr, L., Marzouk, S.B., Eljebari, H., Jebabli, N., Sassi, M.B., Trabelsi, S., Maghrebi, H., Pharmacokinetics of bupivacaine after bilateral ultrasound-guided transversus abdominis plane block following cesarean delivery under spinal anesthesia, *International Journal of Obstetric Anesthesia* (2017), doi: <http://dx.doi.org/10.1016/j.ijoa.2017.04.007>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



1 **Pharmacokinetics of bupivacaine after bilateral ultrasound-guided transversus**
2 **abdominis plane block following cesarean delivery under spinal anesthesia**

3

4 B. Trabelsi,^a R. Charfi,^b L. Bennasr,^a S. Ben Marzouk,^a H. Eljebari,^b N. Jebabli,^b M. Ben
5 Sassi,^b S. Trabelsi,^b H. Maghrebi^a

6

7 *^aDepartment of Anesthesiology and Obstetric Intensive Care, Tunis Maternity and*
8 *Neonatology Center, Tunis el Manar University, Jebel Lakhdhar Street, La Rabta, 1007*
9 *Tunis, Tunisia*

10 *^bClinical Pharmacology Department, National Centre of Pharmacovigilance, Tunis el Manar*
11 *University, Dr Zouheir Essafi Avenue, 1006 Tunis, Tunisia*

12

13 Short title: Bupivacaine pharmacokinetics after TAP block for cesarean delivery.

14

15 Correspondence to: Becem Trabelsi, Department of Anesthesiology and Obstetric Intensive
16 Care, Tunis Maternity and Neonatology Center, Jebel Lakhdhar Street, La Rabta, 1007 Tunis,
17 Tunisia. Tel: +21671578679

18 *E-mail address: trabelsi.becem@gmail.com*

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

Download English Version:

<https://daneshyari.com/en/article/5582106>

Download Persian Version:

<https://daneshyari.com/article/5582106>

[Daneshyari.com](https://daneshyari.com)