

Abstracts of free papers presented at the annual meeting of the Obstetric Anaesthetists' Association, Brussels, 18 & 19 May 2017

(The presenter is underlined)
ORAL PRESENTATIONS

01	Lessons from four years' experience in the use of ROTEM-guided fibrinogen concentrate in major obsteric haemorrhage	S7
	RA Smith, S Mallaiah, C Chevannes, H McNamara	
O2	Does magnetic resonance imaging of epidural cerebrospinal fluid spread correlate with severity of headache following accidental dural puncture? A proof-of-concept observational multi-centre study T Setty, R Fernando, A Majeed, M Columb, H Hyare, I Ahmed, S Ciechanowicz	S7
03	Systemic maternal and umbilical cord fentanyl transfer after epidural administration with adrenaline: a double-	S8
03	blind, randomised trial F Haidl, O Spigset, LA Rosseland, V Dahl	30
04		CO
O4	A randomised controlled trial of remifentanil intravenous patient controlled analgesia (PCA) versus intramuscular pethidine for pain relief in labour (RESPITE trial) MJ Wilson, C MacArthur, F Gao Smith, LE Homer, CA Hewitt, K Handley, JP Daniels	S8
05	· · · · · · · · · · · · · · · · · · ·	CO
05	SOFA and qSOFA scoring in labouring women suspected to have sepsis J Seeley, J Bowness, F Anderson, P Johnston, G McLeod, G Campbell	S9
O6	ED95 of intrathecal hyperbaric prilocaine with sufentanil for scheduled caesarean delivery: a dose-finding study Y Vercruysse, R Leloup, PC Barlow, Y Kapessidou, P Goffard	S9
O 7	Changes in cardiac output using NICOM Cheetah during caesarean section under spinal anaesthesia with	S10
	maintenance of normotension using phenylephrine and ephedrine boluses R ffrench-O'Carroll, S Mac Colgáin, T Tan	
00		010
O8	Effect of phenylephrine vs. ephedrine on ECG changes and cardiac function during spinal anaesthesia for caesarean section: a double-blind, randomised trial	S10
	S Ciechanowicz, S Phillips, R Fernando, A Stewart, N El-Wahab, T Husain, W Mon, M Columb, S Patel	
09	A randomised comparison of bolus phenylephrine and ephedrine for the management of spinal hypotension in	S11
0)	patients with severe preeclampsia and fetal compromise	511
	RA Dyer, A Emmanuel, S Adams, CJ Lombard, MJ Arcache, <u>A Vorster</u> , CA Wong, N Higgins, AR Reed, MF James, Y Joolay, S Schulein, D van Dyk	
010	Incidence of coagulopathy in obstetric cholestasis: a retrospective observational study	S11
O10	J Gray, P McGlone, H McPhee, S Al-Rawi, A Sinha, R Bolton, F Riccio, S Allen, J Lees, K Blethyn, M Simpson	311
POST	TER PRESENTATIONS	
P1	Multi-centre impact evaluation of the introduction of non-Luer equipment on conversion of spinal to general	S12
П	anaesthesia at caesarean section	312
	A Maheswaran, P Sharpe, M Kinsella	
P2	The perioperative anaesthetic management of cervical cerclage	S12
	R Patel, P Shinde, C Papageorgiou, JA Ezihe-Ejiofor	512
P3	Comparison of the LMA Supreme with tracheal intubation for airway management during general anaesthesia for	S13
	caesarean delivery: a randomised controlled trial	
	BL Sng, WY Yao, SY Li, RN Han, R Sultana, AT Sia	
P4	Changes in the pulse oximeter waveform predict hypotension during the onset of spinal anaesthesia for elective	S13
	caesarean section.	
	IJ Wrench, J Healey, L Van Gemeren	
P5	Improved outcomes with ROTEM-guided fibrinogen concentrate in major obstetric haemorrhage RAS Smith, S Mallaiah, P Barclay, C Chevannes, H McNamara	S14
P6	The impact of obesity on cardiac function in pregnancy	S14
	B S Buddeberg, N L Fernandes, A Vorster, B Cupido, C Lombard, T Girard, R A Dyer	
P7	Remifentanil PCA for labour analgesia; experience and service development over 10 years	S15
	H Murray, P Hodgkinson, D Hughes	
P8	The 'Triple P' procedure for the management of morbidly adherent placentas Z. Malik. R. Hartopp. A Shonfeld	S15

P9	Urgency of caesarean delivery, anaesthetic times and neonatal outcomes E Palmer, SN Phillips, S Harris, A Reeve, P Sultan	S16
P10	Analysis of anaesthetic times for category 1 caesarean delivery: a five-year review of outcomes E Palmer, SN Phillips, A Reeve, SN Harris, P Sutan	S16
P11	Service evaluation of postoperative pain following elective caesarean section: are we providing adequate analgesia at home?	S17
P12	A Colhoun, M Prince, I Wrench Introduction of enhanced recovery programme for elective caesarean section has a positive impact on non-elective caesarean section: a tertiary referral centre experience	S17
P13	A Colhoun, I Wrench, S Aluri Enhanced recovery bundle compliance correlates with length of stay A Clark, A Kinnear, K Fraser, K Litchfield	S18
P14	Maternal satisfaction after caesarean section Q Lo, M Wikner	S18
P15	Readmission rates following the introduction of an enhanced recovery pathway for elective caesarean section M Folks, L Kessack, H Boyce, JW Broadway, G Bostock	S19
P16	Development of an obstetric 'Quality of Recovery' scoring tool (ObsQoR-15) S Ciechanowicz, M Chazapis, C Sathasivam, E Robson, T Setty, P Sultan	S19
P17	Maternal temperature at caesarean section: changing practice over three audit cycles D Pakalapti, E Hood, N Weale	S20
P18	Intrathecal fentanyl does not increase bupivacaine-induced adverse thermoregulatory effects in women undergoing caesarean section under spinal anaesthesia AO Adesiyan, OT Kushimo, KU Tobi	S20
P19	Postoperative mobilisation: is there a smoking gun? C Marshall, K Litchfield, A Kinnear	S21
P20	Optimal positioning for haemodynamics in term pregnant women AT Dennis, AB Buckley, T Mahendrayogam, L Leeton	S21
P21	Psychometric performance of unidimensional pain scales in early active labour without analgesia J M Ferns, C Traill, L Hamata, A Kiss, P Angle	S22
P22	Painting a picture of severe pain in labour C Traill, P Angle, JM Ferns, L Hamata, W Elia, S Selvanayagam	S22
P23	Introduction of a troubleshooting guideline to standardise management of inadequate labour epidural analgesia C Marshall, N Sharma, K Litchfield, R Cowan, C Love	S23
P24	Programmed intermittent epidural bolus technique: external validity of trial results L Gabriel, J Young, I Hoesli, T Girard, <u>S Dell</u>	S23
P25	Instrumental delivery rate unaffected by change from midwife-led top-ups to patient-controlled epidural analgesia SE Smith, BT Rudge, M Columb, GM Stocks	S24
P26	Investigating determinants for patient satisfaction after receiving epidural analgesia for labour pain DJA Tan, RNL Han, R Sultana, JP Lew, AT Sia, BL Sng	S24
P27	Labour epidurals: the diminishing returns of repeated intervention N Sharma, C Marshall, S Young	S25
P28	A change in practice to programmed intermittent bolus with PCEA in labour results in reduced local anaesthetic consumption, improved leg mobility but no change in analgesia V Karthikeyan, A Panickar, I Wrench	S25
P29	Effect of labour analgesia on labour outcome in Slovenia: a retrospective analysis of 168 863 births between 2003 and 2013 T Stopar Pintaric, J Bergant, T Sirc, I Verdenik, M Lucovnik	S26
P30	Retrospective observational study of remifentanil patient controlled analgesia and length of labour KG Barr, EC Rogers, S Al-Rawi, RA Isaacs, L Relton	S26
P31	Audit of 16 years of obstetric-specific critical care admission data in a stand-alone tertiary maternity unit T Drew, D Cosgrave, M Bowen	S27
P32	Retrospective review of morbidly obese parturients attending high risk anaesthetic clinic in a tertiary referral centre R Thurairatnam, R Vargulescu, F Schroeder, R Wendler, S Hammond	S27
P33	Epidemiology and outcomes of antepartum maternal critical care admissions in a Scottish district general hospital CA McCue, RM Williamson	S28
P34	The increasing burden of maternal obesity: high BMI parturients and anaesthetic workload R Foye, C Marshall, K Litchfield	S28
P35	Five-year service evaluation of obstetric critical care admissions to tertiary intensive care SN Phillips, R Cambell, D Matthew	S29

Download English Version:

https://daneshyari.com/en/article/5582161

Download Persian Version:

https://daneshyari.com/article/5582161

Daneshyari.com