


Myocardial Microvascular Responsiveness During
Acute Cardiac Sympathectomy Induced by
Thoracic Epidural Anesthesia

C.S.E. Bulte, C. Boer, K.J. Hartemink, O. Kamp,
M.W. Heymans, S.A. Loer, S.F. de Marchi, R.
Vogel, R.A. Bouwman



PII: S1053-0770(16)30161-6
DOI: <http://dx.doi.org/10.1053/j.jvca.2016.05.039>
Reference: YJCAN3704

To appear in: *Journal of Cardiothoracic and Vascular Anesthesia*

Received date: 7 March 2016

Cite this article as: C.S.E. Bulte, C. Boer, K.J. Hartemink, O. Kamp, M.W. Heymans, S.A. Loer, S.F. de Marchi, R. Vogel and R.A. Bouwman, Myocardial Microvascular Responsiveness During Acute Cardiac Sympathectomy Induced by Thoracic Epidural Anesthesia, *Journal of Cardiothoracic and Vascular Anesthesia*, <http://dx.doi.org/10.1053/j.jvca.2016.05.039>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Myocardial microvascular responsiveness during acute cardiac sympathectomy induced by thoracic epidural anesthesia

C.S.E. Bulte^a, C. Boer^a, K.J. Hartemink^{b*}, O. Kamp^c, M.W. Heymans^d, S.A. Loer^a, S.F. de Marchi^e, R. Vogel^f, R.A. Bouwman^{a#}

^a Department of Anesthesiology, VU University Medical Center, Postbus 7057, 1007 MB Amsterdam, The Netherlands; c.bulte@vumc.nl, c.boer@vumc.nl, s.loer@vumc.nl, arthur.bouwman@catharinaziekenhuis.nl

^b Department of Surgery, VU University Medical Center, Postbus 7057, 1007 MB Amsterdam, The Netherlands; kjhartemink@hetnet.nl

^c Department of Cardiology, VU University Medical Center, Postbus 7057, 1007 MB Amsterdam, The Netherlands; o.kamp@vumc.nl

^d Department of Epidemiology and Biostatistics, VU University Medical Center, Postbus 7057, 1007 MB Amsterdam, The Netherlands; mw.heyman@vumc.nl

^e Department of Cardiology, Bern University Hospital, Freiburgstrasse 8, 3010 Bern, Switzerland; stefano.demarchi@insel.ch

^f Department of Cardiology, Bürgerspital Solothurn, Schöngrünstrasse 38, 4500 Solothurn Switzerland; rolf.vogel@spital.so.ch

Corresponding Author: Carolien S.E. Bulte, VU University Medical Center, Department of Anesthesiology, Postbus 7057, 1007 MB Amsterdam, The Netherlands; T: +31 20 4444386; F: +31 20 4444385; E: c.bulte@vumc.nl

*Present address of K.J. Hartemink: Department of Surgery, The Netherlands Cancer Institute – Antoni van Leeuwenhoek Hospital, Amsterdam, The Netherlands

#Present address of R.A. Bouwman: Department of Anesthesiology, Catharina Hospital Eindhoven, The Netherlands

Acknowledgements

This work was supported by the Department of Anesthesiology of the VU University Medical Center in Amsterdam, the Netherlands and by a Dr. E. Dekker research career grant of the

Download English Version:

<https://daneshyari.com/en/article/5582346>

Download Persian Version:

<https://daneshyari.com/article/5582346>

[Daneshyari.com](https://daneshyari.com)