
Author's Accepted Manuscript

Case Report and Review of the Literature: Percutaneous Laser Lead Extraction of an Inadvertently Placed Left-Sided Pacemaker Lead

Justin Pollock, Travis Pollema, Victor Pretorius, Ulrika Birgersdotter-Green, Brett Cronin



PII: S1053-0770(16)30100-8

DOI: http://dx.doi.org/10.1053/j.jvca.2016.05.007

Reference: YJCAN3678

To appear in: Journal of Cardiothoracic and Vascular Anesthesia

Received date: 5 April 2016

Cite this article as: Justin Pollock, Travis Pollema, Victor Pretorius, Ulrika Birgersdotter-Green and Brett Cronin, Case Report and Review of the Literature: Percutaneous Laser Lead Extraction of an Inadvertently Placed Left-Sided Pacemaker Lead, *Journal of Cardiothoracic and Vascular Anesthesia*, http://dx.doi.org/10.1053/j.jvca.2016.05.007

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

_	٠,	L	۱.	
	П	ГΙ	ρ	•

Case Report and Review of the Literature: Percutaneous Laser Lead Extraction of an Inadvertently Placed Left-Sided Pacemaker Lead

Corresponding Author

Justin Pollock, MD

University of California, San Diego

UCSD Medical Center - Thornton Hospital 9300 Campus Point Drive #7770 La Jolla, CA 92037-7770

TEL: (858) 657-6510 (Contact Kelle Hargis)

FAX: (858) 657-6436

justin.pollock3@gmail.com

Supporting Authors

Travis Pollema, DO, Victor Pretorius, MBchB, Ulrika Birgersdotter-Green, MD, and Brett Cronin, MD

Study Institutions

Sulpizio Cardiovascular Center University of California San Diego La Jolla, California

TITLE:

Case Report and Review of the Literature: Percutaneous Laser Lead Extraction of an

Inadvertently Placed Left-Sided Pacemaker Lead

Download English Version:

https://daneshyari.com/en/article/5582458

Download Persian Version:

https://daneshyari.com/article/5582458

Daneshyari.com