


Author's Accepted Manuscript

Outcome after General Anesthesia Versus Monitored Anesthesia Care in Transfemoral Transcatheter Aortic Valve Replacement

Paola D'Errigo, Marco Ranucci, Remo Daniel Covello, Fausto Biancari, Stefano Rosato, Marco Barbanti, Francesco Onorati, Corrado Tamburino, Gennaro Santoro, Claudio Grossi, Francesco Santini, Katia Bontempi, Danilo Fusco, Fulvia Seccareccia



PII: S1053-0770(16)30156-2
DOI: <http://dx.doi.org/10.1053/j.jvca.2016.05.034>
Reference: YJCAN3699

To appear in: *Journal of Cardiothoracic and Vascular Anesthesia*

Received date: 18 February 2016

Cite this article as: Paola D'Errigo, Marco Ranucci, Remo Daniel Covello, Fausto Biancari, Stefano Rosato, Marco Barbanti, Francesco Onorati, Corrado Tamburino, Gennaro Santoro, Claudio Grossi, Francesco Santini, Katia Bontempi, Danilo Fusco and Fulvia Seccareccia, Outcome after General Anesthesia Versus Monitored Anesthesia Care in Transfemoral Transcatheter Aortic Valve Replacement, *Journal of Cardiothoracic and Vascular Anesthesia*, <http://dx.doi.org/10.1053/j.jvca.2016.05.034>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Outcome after General Anesthesia versus Monitored Anesthesia Care in Transfemoral Transcatheter Aortic Valve Replacement

Paola D'Errigo,¹ MStat, Marco Ranucci,² MD, Remo Daniel Covello,³ MD, Fausto Biancari,⁴ MD, PhD, Stefano Rosato,¹ MStat, Marco Barbanti,⁵ MD, Francesco Onorati,⁶ MD, PhD, Corrado Tamburino,⁵ MD, PhD, Gennaro Santoro,⁷ MD, Claudio Grossi,⁸ MD, Francesco Santini,⁹ MD, Katia Bontempi,¹⁰ MStat, Danilo Fusco,¹⁰ MStat and Fulvia Seccareccia,¹ MSc, on behalf of the OBSERVANT Research Group

¹ National Centre for Epidemiology, Surveillance and Health Promotion, Istituto Superiore di Sanità, Rome, Italy;

² Department of Cardiothoracic and Vascular Anesthesia and ICU - IRCCS Policlinico San Donato, San Donato Milanese, Milan, Italy

³ Department of Anesthesia and Intensive Care, Ospedale di Busto Arsizio, Varese, Italy

⁴ Department of Surgery, Oulu University Hospital, Oulu, Finland;

⁵ Division of Cardiology, Ferrarotto Hospital, University of Catania, Italy

⁶ Division of Cardiac Surgery, University of Verona Medical School, Verona, Italy

⁷ Division of Cardiology, Careggi Hospital, Florence, Italy

⁸ Division of Cardiac Surgery, ASO S. Croce e Carle, Cuneo, Italy

⁹ Division of Cardiac Surgery, IRCCS University Hospital San Martino IST Genova, Italy

¹⁰ Department of Epidemiology of Lazio Regional Health Service, Rome, Italy

Running title: General anesthesia vs. monitored anesthesia care in transfemoral TAVR

Abstract word count: 250 words

Funding and acknowledgements: The OBSERVANT Study was supported by a grant (Fasc. 1M30) from Italian Ministry of Health and Istituto Superiore di Sanità. The National Hospital Discharged Records database was provided by the Italian Ministry of Health. The authors thank Gabriella Badoni for her technical support in the organizational phases of the study.

For correspondence:

Stefano Rosato

National Centre for Epidemiology,

Surveillance and Health Promotion,

Istituto Superiore di Sanità,

Via Giano della Bella 34

00161 Rome, Italy

Tel.: +390649904237

E-mail: stefano.rosato@iss.it

Download English Version:

<https://daneshyari.com/en/article/5582766>

Download Persian Version:

<https://daneshyari.com/article/5582766>

[Daneshyari.com](https://daneshyari.com)