


## Accepted Manuscript

Balanced haemostasis with both hypo- and hyper-coagulable features in critically ill patients with acute-on-chronic-liver failure

Caleb Fisher, Vishal C. Patel, Sidsel Hyldgaard Stoy, Arjuna Singanayagam, Jelle Adelmeijer, Julia Wendon, Debbie L. Shawcross, Ton Lisman, William Bernal



PII: S0883-9441(17)30275-7  
DOI: doi: [10.1016/j.jcrc.2017.07.053](https://doi.org/10.1016/j.jcrc.2017.07.053)  
Reference: YJCRC 52651

To appear in:

Revised date: ####REVISEDDATE###  
Accepted date: ####ACCEPTEDDATE###

Please cite this article as: Caleb Fisher, Vishal C. Patel, Sidsel Hyldgaard Stoy, Arjuna Singanayagam, Jelle Adelmeijer, Julia Wendon, Debbie L. Shawcross, Ton Lisman, William Bernal , Balanced haemostasis with both hypo- and hyper-coagulable features in critically ill patients with acute-on-chronic-liver failure, (2017), doi: [10.1016/j.jcrc.2017.07.053](https://doi.org/10.1016/j.jcrc.2017.07.053)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Balanced haemostasis with both hypo- and hyper-coagulable features in critically ill patients with acute-on-chronic-liver failure.

Authors:

Dr Caleb Fisher, Liver Intensive Care Unit, King College Hospital, London  
Caleb.fisher@nhs.net‡

Dr Vishal C. Patel, Liver Intensive Care Unit, Institute of Liver Studies, King College Hospital, London‡

Dr Sidsel Hyldgaard Stoy, Institute of Liver Studies, Kings College Hospital, London

Dr Arjuna Singanayagam, Institute of Liver Studies, Kings College Hospital, London

Jelle Adelmeijer, Surgical Research Laboratory, University Medical Center Groningen, Groningen, Netherlands

Professor Julia Wendon, Liver Intensive Care Unit, Institute of Liver Studies, King College Hospital, London

Dr Debbie L Shawcross, Institute of Liver Studies, King's College Hospital, London

Dr Ton Lisman, Surgical Research Laboratory, University Medical Center Groningen, Groningen, Netherlands\*

Dr William Bernal, Liver Intensive Care Unit, Institute of Liver Studies, King College Hospital, London\*

‡ Co-joint First Authors

\* Co-joint Senior Authors

Author for Correspondence: Dr William Bernal, email: [william.bernal@kcl.ac.uk](mailto:william.bernal@kcl.ac.uk)

Tables 3, Supplementary Tables 3, Figures 4.

- Key Points:
- Haemostatic parameters change progressively from stable cirrhosis to acute-on-chronic liver failure
- Thrombin generation remains intact in acute decompensated and acute-on-chronic liver failure
- Clot stability varied significantly between the cohorts
- Acute-on-chronic liver failure appears to have a separate haemostatic phenotype.

Download English Version:

<https://daneshyari.com/en/article/5583186>

Download Persian Version:

<https://daneshyari.com/article/5583186>

[Daneshyari.com](https://daneshyari.com)