Accepted Manuscript

Can the cerebral regional oxygen saturation be a perfusion parameter in shock?

Ashraf Al Tayar, Amr Abouelela, Khaja Mohiuddeen

PII: DOI: Reference: S0883-9441(16)30450-6 doi: 10.1016/j.jcrc.2016.11.006 YJCRC 52340

To appear in:

Journal of Critical Care



Please cite this article as: Al Tayar Ashraf, Abouelela Amr, Mohiuddeen Khaja, Can the cerebral regional oxygen saturation be a perfusion parameter in shock?, *Journal of Critical Care* (2016), doi: 10.1016/j.jcrc.2016.11.006

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Can the cerebral regional oxygen saturation be a perfusion parameter in shock?

A. Al Tayar¹, A. Abouelela^{1,2}, K. Mohiuddeen³

¹King Fahd Military Medical Complex, ICU, Dhahran, Saudi Arabia, ²Alexandria University, Faculty of Medicine, Critical Care Medicine, Alexandria, Egypt, ³King Fahd Military Medical Complex, Anesthesia & ICU Department, Dhahran, Saudi Arabia

Authors

1- Dr. Ashraf Al Tayar
 ICU consultant, KFMMC
 Dhahran, Saudi Arabia, Po box 946
 Email: altayar.ashraf@gmail.com

- 2- Dr. Amr Abouelela (corresponding author)
 Ass. Professor of critical care medicine, Alexandria University, Egypt ICU consultant, KFMMC, Dhahran, Saudi Arabia, Po box 946
 Email: amrela313@yahoo.com
 Mobile: 00966532843194
- 3- Dr. Khaja Mohiuddeen Anaesthesia &ICU Registrar, KFMMC Dhahran, Saudi Arabia, Po box 946 Email: drkhaja@gmail.com

Download English Version:

https://daneshyari.com/en/article/5583464

Download Persian Version:

https://daneshyari.com/article/5583464

Daneshyari.com