


Elevated BMI and antibodies to citrullinated proteins interact to increase rheumatoid arthritis risk and shorten time to diagnosis: A nested case-control study of women in the nurses' health studies
Elevated BMI and ACPAs interact to increase RA risk

Sara K. Tedeschi, Jing Cui, Elizabeth V. Arkema, William H. Robinson, Jeremy Sokolove, Nithya Lingampalli, Jeffrey A. Sparks, Elizabeth W. Karlson, Karen H. Costenbader



PII: S0049-0172(16)30268-2
DOI: <http://dx.doi.org/10.1016/j.semarthrit.2016.09.001>
Reference: YSARH51104

To appear in: *Seminars in Arthritis and Rheumatism*

Received date: 27 May 2016
Revised date: 2 September 2016
Accepted date: 8 September 2016

Cite this article as: Sara K. Tedeschi, Jing Cui, Elizabeth V. Arkema, William H. Robinson, Jeremy Sokolove, Nithya Lingampalli, Jeffrey A. Sparks, Elizabeth W. Karlson and Karen H. Costenbader, Elevated BMI and antibodies to citrullinated proteins interact to increase rheumatoid arthritis risk and shorten time to diagnosis: A nested case-control study of women in the nurses' health studies
Elevated BMI and ACPAs interact to increase RA risk, *Seminars in Arthritis and Rheumatism*, <http://dx.doi.org/10.1016/j.semarthrit.2016.09.001>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Elevated BMI and Antibodies to Citrullinated Proteins Interact to Increase Rheumatoid Arthritis Risk and Shorten Time to Diagnosis: a Nested Case-Control Study of Women in the Nurses' Health Studies

Sara K. Tedeschi, MD, MPH

Brigham and Women's Hospital

75 Francis Street

Boston, MA 02115 USA

Email: stedeschi1@partners.org

Telephone: +1-617-732-5325

Sara K. Tedeschi, MD, MPH,¹ Jing Cui, PhD,¹ Elizabeth V. Arkema, ScD,² William H. Robinson, MD, PhD,³ Jeremy Sokolove, MD,³ Nithya Lingampalli, BS,³ Jeffrey A. Sparks, MD, MMSc,¹ Elizabeth W. Karlson, MD,¹ Karen H. Costenbader, MD, MPH¹

¹Brigham and Women's Hospital, Division of Rheumatology, Immunology and Allergy, Boston, MA, USA

²Karolinska Institutet, Department of Medicine Solna, Stockholm, Sweden

³Stanford University, Division of Immunology and Rheumatology, Palo Alto, CA, USA

Running title: Elevated BMI and ACPAs interact to increase RA risk

Keywords: rheumatoid arthritis; autoantibodies; epidemiology; obesity; ACPA

Download English Version:

<https://daneshyari.com/en/article/5583888>

Download Persian Version:

<https://daneshyari.com/article/5583888>

[Daneshyari.com](https://daneshyari.com)