


High prevalence of tenosynovial inflammation before onset of rheumatoid arthritis and its link to progression to RA - a combined MRI/CT study  
Tenosynovitis in ACPA+ individuals before the onset of RA

Arnd Kleyer, Manuel Krieter, Isabelle Oliveira, Francesca Faustini, David Simon, Nadine Kaemmerer, Alan Cavalcante, Taiane Tabosa, Juergen Rech, Axel Hueber, Georg Schett



PII: S0049-0172(16)30049-X  
DOI: <http://dx.doi.org/10.1016/j.semarthrit.2016.05.002>  
Reference: YSARH51052

To appear in: *Seminars in Arthritis and Rheumatism*

Received date: 17 February 2016  
Revised date: 8 April 2016  
Accepted date: 12 May 2016

Cite this article as: Arnd Kleyer, Manuel Krieter, Isabelle Oliveira, Francesca Faustini, David Simon, Nadine Kaemmerer, Alan Cavalcante, Taiane Tabosa, Juergen Rech, Axel Hueber and Georg Schett, High prevalence of tenosynovial inflammation before onset of rheumatoid arthritis and its link to progression to RA - a combined MRI/CT study  
Tenosynovitis in ACPA+ individuals before the onset of RA, *Seminars in Arthritis and Rheumatism*, <http://dx.doi.org/10.1016/j.semarthrit.2016.05.002>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

# High prevalence of tenosynovial inflammation before onset of rheumatoid arthritis and its link to progression to RA - a combined MRI/CT study

Arnd Kleyer<sup>1\*</sup>, Manuel Krieter<sup>1\*</sup>, Isabelle Oliveira<sup>1</sup>, Francesca Faustini<sup>1</sup>, David Simon<sup>1</sup>,  
Nadine Kaemmerer<sup>2</sup>, Alan Cavalcante<sup>3</sup>, Taiane Tabosa<sup>3</sup>, Juergen Rech<sup>1</sup>,  
Axel Hueber<sup>1</sup>, Georg Schett<sup>1</sup>

<sup>1</sup>Department of Internal Medicine 3, Rheumatology and Immunology, Friedrich-Alexander University of Erlangen-Nuremberg (FAU), Erlangen, Germany, <sup>2</sup>Institute of Radiology, University of Erlangen-Nuremberg, Erlangen, Germany, <sup>3</sup>CSD Clinica Som Diagnosticos, Belem, Brazil; \*equally contributed to the manuscript.

Running title: Tenosynovitis in ACPA+ individuals before the onset of RA

Financial Support: This study was supported by the Deutsche Forschungsgemeinschaft (SPP1468 and CRC1181), the Bundesministerium für Bildung und Forschung (BMBF; project Metharthros), the TEAM and Masterswitch projects of the European Union and the IMI funded project BTCure.

Correspondence to: Georg Schett, MD; Department of Internal Medicine 3, Rheumatology and Immunology; University of Erlangen-Nuremberg; Ulmenweg 18, Erlangen, D-91054; Germany; E-Mail: georg.schett@uk-erlangen.de; Phone: +49-9131-85-43017; Fax: +49-9131-85-35784

Download English Version:

<https://daneshyari.com/en/article/5583999>

Download Persian Version:

<https://daneshyari.com/article/5583999>

[Daneshyari.com](https://daneshyari.com)