

Accepted Manuscript

Rapid Diagnosis and Intraoperative Margin Assessment of Human Lung Cancer with Fluorescence Lifetime Imaging Microscopy

Mengyan Wang, Feng Tang, Xiaobo Pan, Longfang Yao, Xinyi Wang, Yueyue Jing, Jiong Ma, Guifang Wang, Lan Mi

PII: S2214-6474(17)30013-2
DOI: doi:[10.1016/j.bbaci.2017.04.002](https://doi.org/10.1016/j.bbaci.2017.04.002)
Reference: BBACLI 148

To appear in: *BBA Clinical*

Received date: 10 March 2017
Accepted date: 22 April 2017



Please cite this article as: Mengyan Wang, Feng Tang, Xiaobo Pan, Longfang Yao, Xinyi Wang, Yueyue Jing, Jiong Ma, Guifang Wang, Lan Mi, Rapid Diagnosis and Intraoperative Margin Assessment of Human Lung Cancer with Fluorescence Lifetime Imaging Microscopy, *BBA Clinical* (2017), doi:[10.1016/j.bbaci.2017.04.002](https://doi.org/10.1016/j.bbaci.2017.04.002)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Rapid Diagnosis and Intraoperative Margin Assessment of Human Lung Cancer with Fluorescence Lifetime Imaging Microscopy

Mengyan Wang^{†1}, Feng Tang^{†2}, Xiaobo Pan¹, Longfang Yao¹, Xinyi Wang¹,
Yueyue Jing¹, Jiong Ma¹, Guifang Wang^{*3}, and Lan Mi^{*1}

¹Department of Optical Science and Engineering, Shanghai Engineering Research Center of Ultra-Precision Optical Manufacturing, Key Laboratory of Micro and Nano Photonic Structures (Ministry of Education), Green Photoelectron Platform, Fudan University, 220 Handan Road, Shanghai 200433, China

²Department of Pathology, Huashan Hospital, Fudan University, 12 Wulumuqi Middle Road, Shanghai 200040, China

³Department of Respiratory Diseases, Huashan Hospital, Fudan University, 12 Wulumuqi Middle Road, Shanghai 200040, China

[†]These authors contributed equally to this work.

Correspondence to Lan Mi, Department of Optical Science and Engineering, Fudan University, Shanghai 200433, China; Email: lanmi@fudan.edu.cn; Phone: 86-21-6564-2092. And Guifang Wang, Huashan Hospital, Shanghai, China, Email: wangguifang@fudan.edu.cn; Phone: 86-21-5288-7072.

Download English Version:

<https://daneshyari.com/en/article/5584279>

Download Persian Version:

<https://daneshyari.com/article/5584279>

[Daneshyari.com](https://daneshyari.com)