

High Bone Mass is associated with bone-forming features of osteoarthritis in non-weight bearing joints independent of body mass index

C.L. Gregson, S.A. Hardcastle, A. Murphy, B. Faber, W.D. Fraser, M. Williams, G. Davey Smith, J.H. Tobias

PII: S8756-3282(17)30005-4
DOI: doi: 10.1016/j.bone.2017.01.005
Reference: BON 11224

To appear in: *Bone*

Received date: 16 May 2016
Revised date: 5 November 2016
Accepted date: 6 January 2017

Please cite this article as: C.L. Gregson, S.A. Hardcastle, A. Murphy, B. Faber, W.D. Fraser, M. Williams, G. Davey Smith, J.H. Tobias , High Bone Mass is associated with bone-forming features of osteoarthritis in non-weight bearing joints independent of body mass index. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Bon(2017), doi: 10.1016/j.bone.2017.01.005

High Bone Mass is associated with bone-forming features of osteoarthritis in non-weight bearing joints independent of body mass index

Short Title: High Bone Mass and hand osteoarthritis

Gregson C.L.[1], Hardcastle S.A.[1,2], Murphy A[1], Faber B[1], Fraser W.D.[3], Williams M.[4], Davey Smith G.[2], Tobias J.H.[1]

1. Musculoskeletal Research Unit, School of Clinical Sciences, University of Bristol, UK

2. MRC Integrative Epidemiology Unit, University of Bristol, Bristol, UK

3. Department of Medicine, Norwich Medical School, University of East Anglia, Norwich, UK

4. Department of Radiology, North Bristol NHS Trust, Bristol, UK

Address for correspondence and requests for reprints:

Dr Celia L Gregson, Musculoskeletal Research Unit, University of Bristol, Learning & Research Building (Level 1), Southmead Hospital, Bristol, BS10 5NB, UK.

Tel: +44(0) 117 4147842, Fax: +44(0) 117 3232340, Email: celia.gregson@bristol.ac.uk

Word count: 3926