


Accepted Manuscript

Title: Out of the ground: two coexisting fossorial toad species differ in their emergence and movement patterns

Author: Diana Székely Dan Cogălniceanu Paul Székely
Mathieu Denoël



PII: S0944-2006(16)30174-X
DOI: <http://dx.doi.org/doi:10.1016/j.zool.2016.12.003>
Reference: ZOOL 25549

To appear in:

Received date: 7-8-2016
Revised date: 22-11-2016
Accepted date: 16-12-2016

Please cite this article as: Székely, Diana, Cogălniceanu, Dan, Székely, Paul, Denoël, Mathieu, Out of the ground: two coexisting fossorial toad species differ in their emergence and movement patterns. *Zoology* <http://dx.doi.org/10.1016/j.zool.2016.12.003>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Out of the ground: two coexisting fossorial toad species differ in their emergence and movement patterns

Diana Székely^{a,b}, Dan Cogălniceanu^{a,*}, Paul Székely^a, Mathieu Denoël^b

^a Ovidius University Constanța, Faculty of Natural and Agricultural Sciences, Aleea Universității 1, corp B, Constanța, 900470, Romania

^b Laboratory of Fish and Amphibian Ethology, Behavioural Biology Unit, Freshwater and Oceanic Resources Unit of Research (FOCUS), University of Liège, 22 Quai van Beneden, Liège, 4020, Belgium

* Corresponding author.

E-mail address: dcogalniceanu@univ-ovidius.ro

Download English Version:

<https://daneshyari.com/en/article/5586562>

Download Persian Version:

<https://daneshyari.com/article/5586562>

[Daneshyari.com](https://daneshyari.com)