

Accepted Manuscript

Factors affecting consultation length in a Japanese diabetes practice

Yusuke Kabeya, Junko Uchida, Masao Toyoda, Takeshi Katsuki, Yoichi Oikawa, Kiyoe Kato, Toshihide Kawai, Akira Shimada, Yoshihito Atsumi, Megumu Higaki


PII: S0168-8227(16)30312-6
DOI: <http://dx.doi.org/10.1016/j.diabres.2016.12.020>
Reference: DIAB 6846

To appear in: *Diabetes Research and Clinical Practice*

Received Date: 3 August 2016
Revised Date: 18 November 2016
Accepted Date: 8 December 2016

Please cite this article as: Y. Kabeya, J. Uchida, M. Toyoda, T. Katsuki, Y. Oikawa, K. Kato, T. Kawai, A. Shimada, Y. Atsumi, M. Higaki, Factors affecting consultation length in a Japanese diabetes practice, *Diabetes Research and Clinical Practice* (2017), doi: <http://dx.doi.org/10.1016/j.diabres.2016.12.020>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Factors affecting consultation length in a Japanese diabetes practice

Yusuke Kabeya¹, Junko Uchida², Masao Toyoda³, Takeshi Katsuki², Yoichi Oikawa², Kiyoe Kato², Toshihide Kawai², Akira Shimada⁴, Yoshihito Atsumi⁵, Megumu Higaki¹

1 Division of General Internal Medicine, Department of Internal Medicine, Tokai University Hachioji Hospital, Ishikawa-machi 1838, Hachioji, Tokyo, 192-0032, Japan

2 Department of Internal Medicine, Tokyo Saiseikai Central Hospital, Mita 1-4-17, Minato-ku, Tokyo, Japan

3 Division of Nephrology, Endocrinology and Metabolism, Department of Internal Medicine, Tokai University School of Medicine, Shimokasuya 143, Isehara-shi, Kanagawa, 259-1193, Japan

4 Department of Endocrinology and Diabetes, Saitama Medical University, Morohongo 38, Moroya-machi, Iruma-gun, Saitama, 350-0495, Japan

5 Diabetes Center, Eiju General Hospital, Higashi-Ueno 2-23-16, Taito-ku, Tokyo, 110-8645, Japan

Article type: Research article

Abstract: 250 words. Main document: 3,028 words. Tables and Figures: 2 Tables, no figure.

Corresponding author: Yusuke Kabeya

Academic address: Division of General Internal Medicine, Department of Internal Medicine, Tokai University Hachioji Hospital, Ishikawa-machi 1838, Hachioji, Tokyo, 192-0032, Japan

Tel: +81 42 639 1111 FAX: +81 42 639 1112

E-mail address : kabeya@tsc.u-tokai.ac.jp

Download English Version:

<https://daneshyari.com/en/article/5587088>

Download Persian Version:

<https://daneshyari.com/article/5587088>

[Daneshyari.com](https://daneshyari.com)