Accepted Manuscript



Faecal glucocorticoid metabolite monitoring as a measure of physiological stress in captive and wild vervet monkeys

Christopher Young, Andre Ganswindt, Richard McFarland, Charon de Villiers, Joritha van Heerden, Stefanie Ganswindt, Louise Barrett, S. Peter Henzi

PII: S0016-6480(17)30231-9
DOI: http://dx.doi.org/10.1016/j.ygcen.2017.08.025
Reference: YGCEN 12741

To appear in: *General and Comparative Endocrinology*

Received Date: 6 April 2017
Revised Date: 24 July 2017
Accepted Date: 22 August 2017

Please cite this article as: Young, C., Ganswindt, A., McFarland, R., de Villiers, C., van Heerden, J., Ganswindt, S., Barrett, L., Peter Henzi, S., Faecal glucocorticoid metabolite monitoring as a measure of physiological stress in captive and wild vervet monkeys, *General and Comparative Endocrinology* (2017), doi: http://dx.doi.org/10.1016/j.ygcen.2017.08.025

Faecal glucocorticoid metabolite monitoring as a measure of physiological stress in captive and wild vervet monkeys

Christopher Young[a,b,c], Andre Ganswindt[a], Richard McFarland[d,e], Charon de Villiers[f], Joritha van Heerden[f], Stefanie Ganswindt[a], Louise Barrett[b,c], and S. Peter Henzi[b,c]

[a]*Endocrine Research Laboratory, Department of Anatomy and Physiology, Faculty of Veterinary Science, University of Pretoria, Pretoria, Republic of South Africa.*

[b]*Applied Behavioural Ecology and Ecosystems Research Unit, University of South Africa, Pretoria, Republic of South Africa.*

[c]*Department of Psychology, University of Lethbridge, Alberta, Canada.*

[d]*Department of Anthropology, University of Wisconsin-Madison, Madison, United States.*

[e]*Brain Function Research Group, School of Physiology, University of the Witwatersrand, Republic of South Africa.*

[f]*Primate Unit and Delft Animal Centre, South African Medical Research Council, Cape Town, Republic of South Africa.*

Corresponding author: Dr Christopher Young

Email: christopher.young@uleth.ca