

Accepted Manuscript

Association between dipstick hematuria and decline in estimated glomerular filtration rate among Japanese patients with type 2 diabetes: a prospective cohort study [Diabetes Distress and Care Registry at Tenri (DDCRT 14)]

Tsuyoshi Mashitani, Yasuaki Hayashino, Shintaro Okamura, Masako Kitatani, Miyuki Furuya, Tadao Iburi, Satoru Tsujii, Hitoshi Ishii

PII: S1056-8727(17)30193-9
DOI: doi: [10.1016/j.jdiacomp.2017.04.016](https://doi.org/10.1016/j.jdiacomp.2017.04.016)
Reference: JDC 7013

To appear in: *Journal of Diabetes and Its Complications*

Received date: 10 February 2017
Revised date: 28 March 2017
Accepted date: 12 April 2017



Please cite this article as: Mashitani, T., Hayashino, Y., Okamura, S., Kitatani, M., Furuya, M., Iburi, T., Tsujii, S. & Ishii, H., Association between dipstick hematuria and decline in estimated glomerular filtration rate among Japanese patients with type 2 diabetes: a prospective cohort study [Diabetes Distress and Care Registry at Tenri (DDCRT 14)], *Journal of Diabetes and Its Complications* (2017), doi: [10.1016/j.jdiacomp.2017.04.016](https://doi.org/10.1016/j.jdiacomp.2017.04.016)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Association between dipstick hematuria and decline in estimated glomerular filtration rate among Japanese patients with type 2 diabetes: a prospective cohort study [Diabetes Distress and Care Registry at Tenri (DDCRT 14)]

Tsuyoshi Mashitani^{1 2}, Yasuaki Hayashino³, Shintaro Okamura³, Masako Kitatani³, Miyuki Furuya³, Tadao Iburi³, Satoru Tsujii³, Hitoshi Ishii¹, for the Diabetes Distress and Care Registry at Tenri Study Group*

¹Department of Diabetology, Nara Medical University, Kashihara, Nara 634-8521, Japan

²Third Department of Internal Medicine, Nara Medical University, Kashihara, Nara 634-8521, Japan

³Department of Endocrinology, Tenri Hospital, Tenri, Nara 632-8552, Japan

*Diabetes Distress and Care Registry at Tenri Study Group are listed in the Appendix

Corresponding Author: Tsuyoshi Mashitani, MD, PhD

Department of Diabetology, Nara Medical University, Kashihara, Nara 634-8521, Japan
840 Shijo-cho, Kashihara City, Nara 634-8552, Japan

Phone: +81-744-22-3051

Fax: +81-744-22-4121

E-mail: mashiyam@gmail.com

Download English Version:

<https://daneshyari.com/en/article/5588029>

Download Persian Version:

<https://daneshyari.com/article/5588029>

[Daneshyari.com](https://daneshyari.com)