


Accepted Manuscript

Association of kidney disease measures with risk of renal function worsening in patients with hypertension and type 2 diabetes

Francesca Viazzi, Pamela Piscitelli, Carlo Giorda, Antonio Ceriello, Stefano Genovese, Giuseppina T. Russo, Paola Fioretto, Pietro Guida, Salvatore De Cosmo, Roberto Pontremoli



PII: S1056-8727(16)30479-2
DOI: doi: [10.1016/j.jdiacomp.2016.10.030](https://doi.org/10.1016/j.jdiacomp.2016.10.030)
Reference: JDC 6890

To appear in: *Journal of Diabetes and Its Complications*

Received date: 1 September 2016
Revised date: 11 October 2016
Accepted date: 26 October 2016

Please cite this article as: Viazzi, F., Piscitelli, P., Giorda, C., Ceriello, A., Genovese, S., Russo, G.T., Fioretto, P., Guida, P., De Cosmo, S. & Pontremoli, R., Association of kidney disease measures with risk of renal function worsening in patients with hypertension and type 2 diabetes, *Journal of Diabetes and Its Complications* (2016), doi: [10.1016/j.jdiacomp.2016.10.030](https://doi.org/10.1016/j.jdiacomp.2016.10.030)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Association of kidney disease measures with risk of renal function worsening in patients with hypertension and type 2 diabetes

Observational, prospective cohort study

Francesca Viazzi, MD¹, Pamela Piscitelli, MD², Carlo Giorda, MD³, Antonio Ceriello, MD^{4,5}, Stefano Genovese, MD⁵, Giuseppina T. Russo, MD, PhD⁶, Paola Fioretto MD⁷, Pietro Guida, MSC⁸, Salvatore De Cosmo, MD², Roberto Pontremoli, MD, PhD¹ and the AMD-Annals Study Group.

¹Università degli Studi and IRCCS Azienda Ospedaliera Universitaria San Martino-IST, Genova, Italy, ²Department of Medical Sciences, Scientific Institute “Casa Sollievo della Sofferenza”, San Giovanni Rotondo (FG), Italy, ³Diabetes and Metabolism Unit ASL Turin 5 Chieri (TO) Italy,

⁴Institut d'Investigacions Biomèdiques August Pii Sunyer (IDIBAPS) and Centro de Investigación Biomédica en Red de Diabetes y Enfermedades Metabólicas Asociadas (CIBERDEM), Barcelona, Spain, ⁵Department of Cardiovascular and Metabolic Diseases, IRCCS Gruppo Multimedica, Sesto San Giovanni, Milano, Italy, ⁶Department of Clinical and Experimental Medicine, University of Messina, Messina, Italy, ⁷Department of Medicine, University of Padua, Padua, Italy and

⁸Associazione Medici Diabetologi, Rome, Italy.

Correspondence:

Francesca Viazzi

Università degli Studi e I.R.C.C.S. Azienda Ospedaliera Universitaria San Martino-IST,

Istituto Nazionale per la Ricerca sul Cancro
Viale Benedetto XV 6
16132 Genoa, Italy
E-mail: francesca.viazzi@unige.it

Word count for the abstract: 200, Word count for the text: 3268

Running title: Kidney disease measures and CKD incidence

Download English Version:

<https://daneshyari.com/en/article/5588254>

Download Persian Version:

<https://daneshyari.com/article/5588254>

[Daneshyari.com](https://daneshyari.com)