

Accepted Manuscript


Non-alcoholic fatty liver disease is associated with late but not early atherosclerotic lesions in Chinese inpatients with type 2 diabetes

Kaifeng Guo, Lei Zhang, Junxi Lu, Haoyong Yu, Mian Wu, Yuqian Bao, Haibing Chen, Weiping Jia

PII: S1056-8727(16)30602-X
DOI: doi: [10.1016/j.jdiacomp.2016.09.008](https://doi.org/10.1016/j.jdiacomp.2016.09.008)
Reference: JDC 6852

To appear in: *Journal of Diabetes and Its Complications*

Received date: 20 May 2016
Revised date: 16 September 2016
Accepted date: 21 September 2016



Please cite this article as: Guo, K., Zhang, L., Lu, J., Yu, H., Wu, M., Bao, Y., Chen, H. & Jia, W., Non-alcoholic fatty liver disease is associated with late but not early atherosclerotic lesions in Chinese inpatients with type 2 diabetes, *Journal of Diabetes and Its Complications* (2016), doi: [10.1016/j.jdiacomp.2016.09.008](https://doi.org/10.1016/j.jdiacomp.2016.09.008)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Non-alcoholic fatty liver disease is associated with late but not early atherosclerotic lesions in Chinese inpatients with type 2 diabetes

Kaifeng Guo*, Lei Zhang*, Junxi Lu, Haoyong Yu, Mian Wu, Yuqian Bao, Haibing Chen[▲], Weiping Jia[▲]

Shanghai Diabetes Institute, Shanghai Key Laboratory of Diabetes Mellitus, Shanghai Clinical Center for Diabetes, Department of Endocrinology and Metabolism, Shanghai Jiaotong University Affiliated Sixth People's Hospital, Shanghai 200233, China

Running Title: NAFLD and atherosclerotic lesions in T2DM

Keywords: Nonalcoholic fatty liver disease, Intima-media thickness, Plaque, Atherosclerosis, Cardiac risk factors, Type 2 diabetes;

Word count: 3487

Number of figures and tables: 5

Kaifeng Guo and Lei Zhang * contributed equally to this work.

Corresponding author and person to whom reprint requests should be addressed:

▲Haibing Chen, e-mail: chenhb@sjtu.edu.cn

▲Weiping Jia, e-mail: wpjia@sjtu.edu.cn

Shanghai Diabetes Institute, Shanghai Key Laboratory of Diabetes Mellitus, Shanghai Clinical Center for Diabetes, Department of Endocrinology and Metabolism, Shanghai Jiaotong University Affiliated Sixth People's Hospital, 600 Yishan Road, Shanghai 200233, China.

Download English Version:

<https://daneshyari.com/en/article/5588283>

Download Persian Version:

<https://daneshyari.com/article/5588283>

[Daneshyari.com](https://daneshyari.com)