Accepted Manuscript

Dietary supplementation with *myo*-inositol reduces hepatic triglyceride accumulation and expression of both fructolytic and lipogenic genes in rats fed a high-fructose diet

Masaya Shimada, Masato Hibino, Anna Takeshita

PII: S0271-5317(17)30127-6

DOI: doi: 10.1016/j.nutres.2017.08.005

Reference: NTR 7793

To appear in: Nutrition Research

Received date: 21 February 2017 Revised date: 18 August 2017 Accepted date: 22 August 2017



Please cite this article as: Shimada Masaya, Hibino Masato, Takeshita Anna, Dietary supplementation with *myo*-inositol reduces hepatic triglyceride accumulation and expression of both fructolytic and lipogenic genes in rats fed a high-fructose diet, *Nutrition Research* (2017), doi: 10.1016/j.nutres.2017.08.005

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

supplementation *myo*-inositol triglyceride **Dietary** with reduces hepatic

accumulation and expression of both fructolytic and lipogenic genes in rats fed a

high-fructose diet

Masaya Shimada*, Masato Hibino, Anna Takeshita

Department of Applied Life Science, Faculty of Applied Biological Sciences, Gifu

University, 1-1 Yanagido, Gifu-shi, Gifu 501-1193, Japan

* To whom correspondence should be addressed.

Masaya Shimada

Department of Applied Life Science, Faculty of Applied Biological Sciences, Gifu

University, 1-1 Yanagido, Gifu-shi, Gifu 501-1193, Japan

Phone/Fax: 81-58-293-2861

E-mail: mshimada@gifu-u.ac.jp

1

Download English Version:

https://daneshyari.com/en/article/5588578

Download Persian Version:

https://daneshyari.com/article/5588578

<u>Daneshyari.com</u>