

Accepted Manuscript

Use of a novel docosahexaenoic acid (DHA) formulation versus control in a neonatal porcine model of short bowel syndrome leads to greater intestinal absorption and higher systemic levels of DHA

Camilia R. Martin, Barbara Stoll, Joanne Cluette-Brown, Adesola C. Akinkuotu, Oluyinka O. Olutoye, Kathleen M. Gura, Pratibha Singh, Munir M. Zaman, Michael C. Perillo, Mark Puder, Steven D. Freedman, Doug Burrin

PII: S0271-5317(16)30205-6
DOI: doi: [10.1016/j.nutres.2017.02.004](https://doi.org/10.1016/j.nutres.2017.02.004)
Reference: NTR 7724

To appear in: *Nutrition Research*

Received date: 17 July 2016
Revised date: 15 December 2016
Accepted date: 1 February 2017



Please cite this article as: Martin Camilia R., Stoll Barbara, Cluette-Brown Joanne, Akinkuotu Adesola C., Olutoye Oluyinka O., Gura Kathleen M., Singh Pratibha, Zaman Munir M., Perillo Michael C., Puder Mark, Freedman Steven D., Burrin Doug, Use of a novel docosahexaenoic acid (DHA) formulation versus control in a neonatal porcine model of short bowel syndrome leads to greater intestinal absorption and higher systemic levels of DHA, *Nutrition Research* (2017), doi: [10.1016/j.nutres.2017.02.004](https://doi.org/10.1016/j.nutres.2017.02.004)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Use of a novel docosahexaenoic acid (DHA) formulation versus control
in a neonatal porcine model of short bowel syndrome leads to greater
intestinal absorption and higher systemic levels of DHA**

Camilia R. Martin^{*a,b}, Barbara Stoll^c, Joanne Cluette-Brown^d, Adesola C. Akinkuotu^e, Oluyinka O. Olutoye^e, Kathleen M. Gura^f, Pratibha Singh^d, Munir M. Zaman^d, Michael C. Perillo^d, Mark Puder^g, Steven D. Freedman^{b,d†}, and Doug Burrin^{ct}

^a Department of Neonatology, Beth Israel Deaconess Medical Center, 330 Brookline Avenue, Boston, MA 02215

^b Division of Translational Research, Beth Israel Deaconess Medical Center, 330 Brookline Avenue, Boston, MA 02215

^c USDA/ARS Children's Nutrition Research Center, Section of Gastroenterology, Hepatology and Nutrition, Department of Pediatrics, Baylor College of Medicine, Houston, TX 77030 (bstoll@bcm.edu and Doug.Burrin@ARS.USDA.GOV)

^d Division of Gastroenterology, Beth Israel Deaconess Medical Center, 330 Brookline Avenue, Boston, MA 02215 (sfreedma@bidmc.harvard.edu)

Download English Version:

<https://daneshyari.com/en/article/5588589>

Download Persian Version:

<https://daneshyari.com/article/5588589>

[Daneshyari.com](https://daneshyari.com)