Preload of slowly digestible carbohydrate microspheres decreases gastric emptying rate of subsequent meal in humans

Fatimata Cisse, Elizabeth A. Pletsch, Daniel P. Erickson, Mohammad Chegeni, Anna M.R. Hayes, Bruce R. Hamaker

PII: S0271-5317(17)30149-5
DOI: doi: 10.1016/j.nutres.2017.06.009
Reference: NTR 7776

To appear in: *Nutrition Research*

Received date: 23 February 2017
Revised date: 17 June 2017
Accepted date: 30 June 2017

Please cite this article as: Cisse Fatimata, Pletsch Elizabeth A., Erickson Daniel P., Chegeni Mohammad, Hayes Anna M.R., Hamaker Bruce R., Preload of slowly digestible carbohydrate microspheres decreases gastric emptying rate of subsequent meal in humans, *Nutrition Research* (2017), doi: 10.1016/j.nutres.2017.06.009

COMMUNICATION

Preload of slowly digestible carbohydrate microspheres decreases gastric emptying rate of subsequent meal in humans

Fatimata Cisse[a,b], Elizabeth A. Pletsch[a], Daniel P. Erickson[a,c], Mohammad Chegeni[a], Anna M.R. Hayes[a], Bruce R. Hamaker[a]

[a]Department of Food Science, Whistler Center for Carbohydrate Research, Purdue University, West Lafayette, IN 47907, USA

[b]Institut d'Economie Rurale du Mali, BP 258, Bamako, Mali

[c]Present address: Nestlé Purina Product Technology Center, 1 Checkerboard Square, Saint Louis, MO 63164, USA

Corresponding author: BR Hamaker, Purdue University, Department of Food Science, NLSN Hall Room 2195, 745 Agriculture Mall Drive, West Lafayette, IN 47907-2009. Email: hamakerb@purdue.edu. Phone: (765) 494-5668. Fax: (765) 494-5668

Author e-mails (in order): diallofati@gmail.com; epletsch@purdue.edu; daniel.erickson@rd.nestle.com; mchegeni@purdue.edu; hayes100@purdue.edu; hamakerb@purdue.edu