

Accepted Manuscript

Intraduodenal infusion of cyanidin-3-glucoside transiently promotes triglyceride excretion into bile in rats

Naoto Hashimoto, Kyu-Ho Han, Michihiro Fukushima

PII: S0271-5317(16)30111-7
DOI: doi: [10.1016/j.nutres.2017.01.002](https://doi.org/10.1016/j.nutres.2017.01.002)
Reference: NTR 7714

To appear in: *Nutrition Research*

Received date: 15 June 2016
Revised date: 12 December 2016
Accepted date: 13 January 2017



Please cite this article as: Hashimoto Naoto, Han Kyu-Ho, Fukushima Michihiro, Intraduodenal infusion of cyanidin-3-glucoside transiently promotes triglyceride excretion into bile in rats, *Nutrition Research* (2017), doi: [10.1016/j.nutres.2017.01.002](https://doi.org/10.1016/j.nutres.2017.01.002)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Intraduodenal infusion of cyanidin-3-glucoside transiently promotes triglyceride excretion into bile in rats

Naoto Hashimoto ^{a, 1,*}, Kyu-Ho Han ^b, and Michihiro Fukushima ^b

^aUpland Farming Resource Research Division, NARO Hokkaido Agricultural Research Center, Kasai, Hokkaido 082-0071, Japan

^bDepartment of Food Science, Obihiro University of Agriculture and Veterinary Medicine, Inada, Obihiro, Hokkaido 080-8555, Japan

Email: hasshy@affrc.go.jp (N. Hashimoto), kyuho@obihiro.ac.jp (K. H. Han), fukushim@obihiro.ac.jp (M. Fukushima)

¹ Present address: Food Function Division, NARO National Food Research Institute, 2-1-12 Kannondai, Tukuba, Ibaraki 305-8642, Japan

*Corresponding author: Tel., +81-29-838-8008; Fax, +81-29-7996; Email, hasshy@affrc.go.jp (N. Hashimoto)

Conflicts of interest: none

Abbreviations: BA, bile acid; BSEP, bile salt export pump; C3G, cyaniding-3-glycoside; FAS, fatty acid synthase; MRP2, multidrug resistance-associated protein 2; PBS, phosphate-buffered saline; PL, phospholipid;

Download English Version:

<https://daneshyari.com/en/article/5588664>

Download Persian Version:

<https://daneshyari.com/article/5588664>

[Daneshyari.com](https://daneshyari.com)