

Accepted Manuscript

Rate of eating in early life is positively associated with current and later BMI among young Japanese children: the Osaka Maternal and Child Health Study

Hitomi Okubo, Yoshihiro Miyake, Satoshi Sasaki, Keiko Tanaka, Yoshio Hirota

PII: S0271-5317(16)30400-6
DOI: doi: [10.1016/j.nutres.2016.11.011](https://doi.org/10.1016/j.nutres.2016.11.011)
Reference: NTR 7701

To appear in: *Nutrition Research*

Received date: 2 September 2016
Revised date: 18 November 2016
Accepted date: 23 November 2016



Please cite this article as: Okubo Hitomi, Miyake Yoshihiro, Sasaki Satoshi, Tanaka Keiko, Hirota Yoshio, Rate of eating in early life is positively associated with current and later BMI among young Japanese children: the Osaka Maternal and Child Health Study, *Nutrition Research* (2016), doi: [10.1016/j.nutres.2016.11.011](https://doi.org/10.1016/j.nutres.2016.11.011)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Title Page

Rate of eating in early life is positively associated with current and later BMI among young Japanese children: the Osaka Maternal and Child Health Study

Hitomi Okubo^{a*}, Yoshihiro Miyake^b, Satoshi Sasaki^c, Keiko Tanaka^b, Yoshio Hirota^d

^a Department of Health Promotion, National Institute of Public Health, Saitama, Japan

^b Department of Epidemiology and Preventive Medicine, Ehime University Graduate School of Medicine, Ehime, Japan

^c Department of Social and Preventive Epidemiology, School of Public Health, The University of Tokyo, Tokyo, Japan

^d College of Healthcare Management, Fukuoka, Japan

* Corresponding author: Dr Hitomi Okubo, Department of Health Promotion, National Institute of Public Health, 2-3-6 Minami, Wako-shi, Saitama 351-0197, Japan. Tel: +81-48-458-6236; Fax: +81-48-458-6714; Email: okubo@niph.go.jp

Running head: Rate of eating and BMI

Word count: 4047 words

Abbreviation page

BMI, body mass index; OMCHS, Osaka Maternal and Child Health Study; BDHQ, brief-type dietary history questionnaire; DHQ, dietary history questionnaire

Download English Version:

<https://daneshyari.com/en/article/5588699>

Download Persian Version:

<https://daneshyari.com/article/5588699>

[Daneshyari.com](https://daneshyari.com)