Accepted Manuscript

Novel variant of OCT4B4 is differentially expressed in human embryonic stem and embryonic carcinoma cells



Ensieh M. Poursani, Majid Mehravar, Bahram Mohammad Soltani, Seyed Javad Mowla

2
,

Please cite this article as: Ensieh M. Poursani, Majid Mehravar, Bahram Mohammad Soltani, Seyed Javad Mowla, Novel variant of OCT4B4 is differentially expressed in human embryonic stem and embryonic carcinoma cells, *Gene* (2017), doi: 10.1016/j.gene.2017.06.032

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Novel variant of OCT4B4 is differentially expressed in human embryonic stem and

embryonic carcinoma cells

Ensieh M. Poursani¹, Majid Mehravar¹, Bahram Mohammad Soltani^{1*}, Seyed Javad Mowla^{1*}

¹Department of Molecular Genetics, Faculty of Biological Sciences, Tarbiat Modares University, Tehran, Iran;

*Corresponding Address: P.O.Box: 14115-175, Department of Molecular Genetics, Faculty of

Biological Sciences, Tarbiat Modares University, Tehran, Iran

Emails: sjmowla@modares.ac.ir, soltanib@modares.ac.ir

Conflict of interest: The authors declare no potential conflicts of interest.

Abstract

POU domain proteins are an important family of transcription factors that regulates cell typespecific gene expression. One of the most crucial members of this family that maintains pluripotency and self-renewal of embryonic stem cells is POU5F1/OCT4. The OCT4 gene can generate several variants under different situations/cell types includes OCT4A that is the major factor sustains pluripotency in embryonic stem and embryonic carcinoma cells, and also OCT4B and OCT4B1, which might be transcribed from a different potential promoter located in intron1 and are expressed in various tissues and cell types. Download English Version:

https://daneshyari.com/en/article/5589648

Download Persian Version:

https://daneshyari.com/article/5589648

Daneshyari.com