

Accepted Manuscript

Comparative genomics and phylogenomics of Trichostrongyloidea mitochondria reveal insights for molecular diagnosis and evolutionary biology of nematode worms

Livia Loiola dos Santos, Francisco Prosdocimi, Nicholas Costa Barroso Lima, Igor Rodrigues da Costa, Danielle Cunha Cardoso, Marcela Gonçalves Drummond, Bruno dos Santos Alves Figueiredo Brasil, Eduardo Bastianetto, Denise Aparecida Andrade de Oliveira



PII: S2452-0144(17)30065-1
DOI: doi: [10.1016/j.genrep.2017.09.002](https://doi.org/10.1016/j.genrep.2017.09.002)
Reference: GENREP 173

To appear in: *Gene Reports*

Received date: 10 November 2016
Revised date: 6 August 2017
Accepted date: 6 September 2017

Please cite this article as: Livia Loiola dos Santos, Francisco Prosdocimi, Nicholas Costa Barroso Lima, Igor Rodrigues da Costa, Danielle Cunha Cardoso, Marcela Gonçalves Drummond, Bruno dos Santos Alves Figueiredo Brasil, Eduardo Bastianetto, Denise Aparecida Andrade de Oliveira , Comparative genomics and phylogenomics of Trichostrongyloidea mitochondria reveal insights for molecular diagnosis and evolutionary biology of nematode worms, *Gene Reports* (2017), doi: [10.1016/j.genrep.2017.09.002](https://doi.org/10.1016/j.genrep.2017.09.002)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Comparative genomics and phylogenomics of Trichostrongyloidea
mitochondria reveal insights for molecular diagnosis and
evolutionary biology of nematode worms**

Livia Loiola dos Santos^{1*}, Francisco Prodocimi^{2*†}, Nicholas Costa Barroso Lima²; Igor Rodrigues da Costa²; Danielle Cunha Cardoso¹, Marcela Gonçalves Drummond³, Bruno dos Santos Alves Figueiredo Brasil⁴, Eduardo Bastianetto⁵, Denise Aparecida Andrade de Oliveira¹

* equal contributions

† corresponding authors

1 Departamento de Zootecnia, Escola de Veterinária, Universidade Federal de Minas Gerais – Avenida Antônio Carlos, 6627 – CEP: 31270-010, Belo Horizonte/MG, Brazil.

2. Laboratório de Genômica e Biodiversidade, Instituto de Bioquímica Médica Leopoldo de Meis, Universidade Federal do Rio de Janeiro, Centro de Ciências da Saúde (CCS), Bloco E, Sala 022, Cidade Universitária/Ilha do Fundão - CEP 21941-902, Rio de Janeiro-RJ, Brazil.

3 Myleus Biotecnologia, Avenida José Cândido da Silveira, 2100, sala 11 - CEP 31035-536, Belo Horizonte/MG, Brazil.

4 Embrapa Agroenergia, Parque Estação Biológica, Av. W3 Norte - CEP 70770-901, Brasília/DF, Brazil.

5 Departamento de Medicina Veterinária Preventiva, Escola de Veterinária, Universidade Federal de Minas Gerais – Avenida Antônio Carlos, 6627 – CEP: 31270-010, Belo Horizonte/MG, Brazil.

† **Corresponding author:** Laboratório de Genômica e Biodiversidade, Instituto de Bioquímica Médica Leopoldo de Meis, Universidade Federal do Rio de Janeiro, Centro de Ciências da Saúde (CCS), Bloco E, Sala 022, Cidade Universitária/Ilha do Fundão - CEP 21941-902, Rio de Janeiro-RJ, Brazil. Tel. +55 21 3938-6759 / Fax. +55 21 3938-8647, e-mail: fprodocimi@gmail.com

Abstract

Haemonchus placei (Nematoda:Trichostrongyloidea:Haemonchidae) is a parasite of cattle and other ruminants that reduces the weight gain and increases mortality causing

Download English Version:

<https://daneshyari.com/en/article/5589963>

Download Persian Version:

<https://daneshyari.com/article/5589963>

[Daneshyari.com](https://daneshyari.com)