


Accepted Manuscript

Whole genome analysis of porcine astroviruses detected in Japanese pigs reveals genetic diversity and possible intra-genotypic recombination

Mika Ito, Moegi Kuroda, Tsuneyuki Masuda, Masataka Akagami, Kei Haga, Shinobu Tsuchiaka, Mai Kishimoto, Yuki Naoi, Kaori Sano, Tsutomu Omatsu, Yukie Katayama, Mami Oba, Hiroshi Aoki, Toru Ichimaru, Itsuro Mukono, Yoshinao Ouchi, Hiroshi Yamasato, Junsuke Shirai, Kazuhiko Katayama, Tetsuya Mizutani, Makoto Nagai



PII: S1567-1348(17)30050-3
DOI: doi: [10.1016/j.meegid.2017.02.008](https://doi.org/10.1016/j.meegid.2017.02.008)
Reference: MEEGID 3070

To appear in: *Infection, Genetics and Evolution*

Received date: 3 January 2017
Revised date: 6 February 2017
Accepted date: 7 February 2017

Please cite this article as: Mika Ito, Moegi Kuroda, Tsuneyuki Masuda, Masataka Akagami, Kei Haga, Shinobu Tsuchiaka, Mai Kishimoto, Yuki Naoi, Kaori Sano, Tsutomu Omatsu, Yukie Katayama, Mami Oba, Hiroshi Aoki, Toru Ichimaru, Itsuro Mukono, Yoshinao Ouchi, Hiroshi Yamasato, Junsuke Shirai, Kazuhiko Katayama, Tetsuya Mizutani, Makoto Nagai , Whole genome analysis of porcine astroviruses detected in Japanese pigs reveals genetic diversity and possible intra-genotypic recombination. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Meegid(2017), doi: [10.1016/j.meegid.2017.02.008](https://doi.org/10.1016/j.meegid.2017.02.008)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Whole genome analysis of porcine astroviruses detected in Japanese pigs reveals genetic diversity and possible intra-genotypic recombination

Mika Ito ^a, Moegi Kuroda ^b, Tsuneyuki Masuda ^b, Masataka Akagami ^c, Kei Haga ^{d,e}, Shinobu Tsuchiaka ^f, Mai Kishimoto ^f, Yuki Naoi ^f, Kaori Sano ^f, Tsutomu Omatsu ^f, Yukie Katayama ^f, Mami Oba ^f, Hiroshi Aoki ^g, Toru Ichimaru ^h, Itsuro Mukono ^a, Yoshinao Ouchi ^c, Hiroshi Yamasato ^b, Junsuke Shirai ^f, Kazuhiko Katayama ^{d,e}, Tetsuya Mizutani ^f, Makoto Nagai ^{f,i}

^a Ishikawa Nanbu Livestock Hygiene Service Center, Kanazawa, Ishikawa 920–3101, Japan

^b Kurayoshi Livestock Hygiene Service Center, Kurayoshi, Tottori 683-0017, Japan

^c Kenhoku Livestock Hygiene Service Center, Mito, Ibaraki 310-0002, Japan

^d Department of Virology II, National Institute of Infectious Diseases, Musashimurayama, Tokyo 208-0011, Japan

^e Laboratory of Viral Infection I, Kitasato Institute for Life Sciences, Graduate School of Infection Control Sciences. Minato, Tokyo 108-8641, Japan

^f Research and Education Center for Prevention of Global Infectious Disease of Animal, Tokyo University of Agriculture and Technology, Fuchu, Tokyo 183-8509, Japan

^g Faculty of Veterinary Science, Nippon Veterinary and Life Science University, Musashino, Tokyo 180-8602, Japan

^h Department of Health and Medical Sciences, Ishikawa Prefectural Nursing University, Kahoku, Ishikawa, 929-1210, Japan

ⁱ Department of Bioproduction Science, Ishikawa Prefectural University, Nonoiichi, Ishikawa 921-8836, Japan

Corresponding author

M. Nagai

Department of Bioproduction Science, Ishikawa Prefectural University, Nonoiichi, Ishikawa 921-8836, Japan.

E-mail: m-nagai@ishikawa-pu.ac.jp

Research and Education Center for Prevention of Global Infectious Disease of Animal, Tokyo University of Agriculture and Technology, Fuchu, Tokyo 183-8509, Japan. E-mail: m-nagai@cc.tuat.ac.jp

Download English Version:

<https://daneshyari.com/en/article/5590399>

Download Persian Version:

<https://daneshyari.com/article/5590399>

[Daneshyari.com](https://daneshyari.com)