
Accepted Manuscript

Diversity in VP3, NSP3, and NSP4 of rotavirus B detected from Japanese cattle

Michiko Hayashi-Miyamoto, Toshiaki Murakami, Fujiko Minami-Fukuda, Shinobu Tsuchiaka, Mai Kishimoto, Kaori Sano, Yuki Naoi, Keigo Asano, Toru Ichimaru, Kei Haga, Tsutomu Omatsu, Yukie Katayama, Mami Oba, Hiroshi Aoki, Junsuke Shirai, Motohiko Ishida, Kazuhiko Katayama, Tetsuya Mizutani, Makoto Nagai



PII: S1567-1348(17)30003-5

DOI: doi: 10.1016/j.meegid.2017.01.003

Reference: MEEGID 3035

To appear in: Infection, Genetics and Evolution

Received date: 6 October 2016 Revised date: 12 December 2016 Accepted date: 2 January 2017

Please cite this article as: Michiko Hayashi-Miyamoto, Toshiaki Murakami, Fujiko Minami-Fukuda, Shinobu Tsuchiaka, Mai Kishimoto, Kaori Sano, Yuki Naoi, Keigo Asano, Toru Ichimaru, Kei Haga, Tsutomu Omatsu, Yukie Katayama, Mami Oba, Hiroshi Aoki, Junsuke Shirai, Motohiko Ishida, Kazuhiko Katayama, Tetsuya Mizutani, Makoto Nagai, Diversity in VP3, NSP3, and NSP4 of rotavirus B detected from Japanese cattle. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Meegid(2017), doi: 10.1016/j.meegid.2017.01.003

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Diversity in VP3, NSP3, and NSP4 of rotavirus B detected from Japanese cattle

Michiko Hayashi-Miyamoto ^a, Toshiaki Murakami ^b, Fujiko Minami-Fukuda ^b, Shinobu Tsuchiaka ^c, Mai Kishimoto ^c, Kaori Sano ^c, Yuki Naoi ^c, Keigo Asano ^d, Toru Ichimaru ^e, Kei Haga ^{f,g}, Tsutomu Omatsu ^c, Yukie Katayama ^c, Mami Oba ^c, Hiroshi Aoki ^h, Junsuke Shirai ^{c,i}, Motohiko Ishida ^d, Kazuhiko Katayama ^{f,g}, Tetsuya Mizutani ^c, Makoto Nagai ^{c,d,*}

Corresponding author at: Research and Education Center for Prevention of Global Infectious Disease of Animal, Tokyo University of Agriculture and Technology, 3-5-8 Saiwai, Fuchu, Tokyo 183-8509, Japan. Tel.: +81 42 367 5935; fax: +81 42 367 5935. E-mail address: m-nagai@cc.tuat.ac.jp

Department of Bioproduction Science, Ishikawa Prefectural University, Nonoichi, Ishikawa 921-8836, Japan. E-mail: m-nagai@ishikawa-pu.ac.jp

^a Ishikawa Prefectual livestock research center, Hodatsushimizu, Ishikawa, 929-1325, Japan

^b Ishikawa Hokubu Livestock Hygiene Service Center, Nanao, Ishikawa, 929-2126, Japan

^c Research and Education Center for Prevention of Global Infectious Disease of Animal, Tokyo University of Agriculture and Technology, Fuchu, Tokyo 183-8509, Japan

d Department of Bioproduction Science, Ishikawa Prefectural University, Nonoichi, Ishikawa 921-8836, Japan

^e Department of Health and Medical Sciences, Ishikawa Prefectural Nursing University, Kahoku, Ishikawa, 929-1210, Japan

f Department of Virology II, National Institute of Infectious Diseases, Musashimurayama, Tokyo 208-0011, Japan

^g Laboratory of Viral Infection I, Kitasato Institute for Life Sciences, Graduate School of Infection Control Sciences. Minato, Tokyo 108-8641, Japan

^h Faculty of Veterinary Science, Nippon Veterinary and Life Science University, Musashino, Tokyo 180-8602, Japan

ⁱ Department of Veterinary Medicine, Faculty of Agriculture, Tokyo University of Agriculture and Technology, Fuchu, Tokyo 183-8509, Japan

Download English Version:

https://daneshyari.com/en/article/5590618

Download Persian Version:

https://daneshyari.com/article/5590618

<u>Daneshyari.com</u>