


Using Endogenous Saccades to Characterize Fatigue in Multiple Sclerosis

Marisa Ferreira, Paulo A. Pereira, Marta Parreira, Inês Sousa, José Figueiredo, João J. Cerqueira, António F Macedo



PII: S2211-0348(17)30016-0

DOI: <http://dx.doi.org/10.1016/j.msard.2017.01.014>

Reference: MSARD525

To appear in: *Multiple Sclerosis and Related Disorders*

Cite this article as: Marisa Ferreira, Paulo A. Pereira, Marta Parreira, Inês Sousa, José Figueiredo, João J. Cerqueira and António F Macedo, Using Endogenous Saccades to Characterize Fatigue in Multiple Sclerosis, *Multiple Sclerosis and Related Disorders*, <http://dx.doi.org/10.1016/j.msard.2017.01.014>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

# Using Endogenous Saccades to Characterize Fatigue in Multiple Sclerosis

Ferreira, Marisa<sup>1,2</sup>, Pereira, Paulo A.<sup>2,3</sup>, Parreira, Marta<sup>2</sup>, Sousa, Inês<sup>3</sup>, Figueiredo, José<sup>2</sup>, Cerqueira, João J.<sup>4,5</sup>, Macedo, António F.<sup>1,6\*</sup>

<sup>1</sup>Vision Rehabilitation Lab.; Centre/Department of Physics and Optometry, University of Minho, Braga, Portugal.

<sup>2</sup>Association “Todos com a Esclerose Multipla (TEM)”, Braga, Portugal.

<sup>3</sup>Centre of Mathematics, Department of Mathematics and Applications, University of Minho, Braga, Portugal

<sup>4</sup>Neurosciences Domain; Life and Health Sciences Research Institute, School of Health Sciences and ICVS/3B's Associate Laboratory, University of Minho, Braga, Portugal

<sup>5</sup>Clinical Academic Centre (CCA), Hospital de Braga, Braga, Portugal.

<sup>6</sup>Linnaeus University, Department of Medicine and Optometry, SE 39182, Kalmar, Sweden

marisaborgesferreira@gmail.com  
ppereira@math.uminho.pt  
martafgparreira@gmail.com  
isousa@math.uminho.pt  
minsk1enator@gmail.com  
jcerqueira@ecsaude.uminho.pt  
antonio.macedo@lnu.se

\*Corresponding author. Address: Linnaeus University, Department of Medicine and Optometry, SE 39182, Kalmar, Sweden

## INTRODUCTION

Multiple Sclerosis (MS) is a neurodegenerative disease characterized by demyelination and consequent reduction of neural conduction within the central nervous system leading to functional impairments (Archibald & Fisk, 2000; Kurtzke, 1983). MS represents the main cause of disability in non-traumatic neurological diseases in young adults (Sadovnick & Ebers, 1993) affecting up to 1 in 1000 people in

Download English Version:

<https://daneshyari.com/en/article/5590732>

Download Persian Version:

<https://daneshyari.com/article/5590732>

[Daneshyari.com](https://daneshyari.com)